

GSR Rpet

TECHNICAL DATA SHEET

Valid from:	31.05.2023	Revision:	0.0
-------------	------------	-----------	-----

Material specification				
Chemical substance	Polyethylene terephthalate (PET)			
Color	Clear			
Form	Pellets			

Physical/chemical properties					
Parameter	Value	Unit	Test Method		
Intrinsic Viscosity	>0,78	dL/g	ASTM D4603		
Acetaldehyde	<1,0	ppm	ASTM F2013		
Color L*	>65		ASTM D6290		
Color a*	-6 - 0		ASTM D6290		
Color b*	-3 - 3		ASTM D6290		
Melting Point	~250	°C	ASTM D3418		
Bulk Density	0,85 ± 0,05	g/cm³	ASTM D1895		
Moisture Content	<0,5	%	ASTM 6980		
PET Dust Content	<0,02	%			
Chip Size	2,8 ± 0,2	g/100 chips	Weight Scale		
Crystallinity	>30	%	ASTM D3418		

Notes

At least 95% of the input raw material comes from used PET beverage bottles

Disclaimer

The information and data presented herein is true and accurate to the best of our knowledge. No warranty or guarantee expressed or implied is made regarding performance or otherwise. This information and data may not be considered as a suggestion to use our products without taking into account existing patents, or legal provisions or regulations, whether national or local.

The user of any information and/or data is advised to obtain the latest details from the company or its authorized agent, as the information and/or data is subject to change based on the research and development work undertaken by the company.