WHO-GMP Approved An ISO 9001-2008 Certified company

CIN: U24230GJ1993PTC020695

Factory: Sokhada-388 620, Ta.-Khambhat

Dist.-Anand(Guj.) INDIA

Phone:(F) (+91 2698) 302502, 302503 Fax: 302500

E-mail: mail@baroquepharma.com E-mail: bppl@baroquepharma.com

Web: www.baroquepharma.com



Page 1 of 1

QUALITY CONTROL DEPARTMENT

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F)) CERTIFICATE OF ANALYSIS (FINISHED PRODUCT STAGE)

Product Name

: TRAMADOL HYDROCHLORIDE DROPS(20ML)

Generic Name

Tramadol Hydrochloride

Flavoured syrupy base

: TRAMADOL HYDROCHLORIDE DROPS

Product Code Label Claim

Each ml cotains:

: BQE576A

BP 100mg

LC NO.: 1085433 DATED.: 28/09/2017

APPLICANT REF. NO. IMP NO. 367/17

Q.S.

Batch No. : G017193

Batch Size: 630 LTR

Location Make

: KHAMBHAT : BAROQUE

Mfg. Lic No.

: G/1217

Specification No. : SP/BQE576AFP-2

Specification Dt. : 13-07-2017

Test As Per Test Packing : IHS

Sample Size

10.000 BOT : 10.000 BOT

Mfg. Dt.: SEP-2017 Exp. Dt.: AUG-2019

T.R. Slip No. T.R. Slip Dt.

: B17179 : 11-09-2017

Analysis Date

: 12-09-2017

A.R. No. A.R. Dt.

: BQFP17188 : 20-09-2017

Released Qty.

: 630 LTR

Sr,	Test	Result	Specification	
1	DESCRIPTION:	Pale yellow clear liquid	Pale yellow clear liquid	
2	pH:	5.09	Between 4.5 to 6.0	
3	WEIGHT / ML:	1.2038 gm/ml	1.210 gm/ml (± 10%)	
			(Between 1.089 to 1.331 gm/ml)	
4	DELIVERABLE VOLUME:	20.5 ml	Not less than 20.0 ml	
5	IDENTIFICATION:	In the assay, the principal peak in the	In the assay, the principal peak in the	
		chromatogram obtained with the test solution	chromatogram obtained with the test solution	
		corresponds to the peak in the chromatogram	should be corresponds to the peak in the	
		obtained with standard solution.	chromatogram obtained with standard solution.	
0	Assay:	1) 99.56% = 99.56 mg	1) Tramadol Hydrochloride 100MG	
7 .	MODORIAL BURITA		[Limit :NLT 90.0% and NMT 110.0%]	
(-	MICROBIAL PURITY:	-	-	
	1 Total Aerobic Microbial Count :	11 CFU/ml	Not more than 10 ³ CFU/ml	
	2 Total Yeast and Mould Count :	Nil	Not more than 10 ² CFU/ml	
	3 E.Coli:	Absent	Should be absent.	
	,	·		
	•	v.		
			~	
]		·		
		·		
	•			
			·	
			-	

Conclusion : The above sample complies as per <u>IHS</u> In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the reasons given above. "This computer generated certificate of analysis is valid without signature"

Analysed By / Date	Checked By / Date		Approved By / Date
ushul 2010912017	2-10912-17		Cocer
VISHAL T. CHAUHAN	DARSHAN S. SHAH	9010	9/17- VINOD A.PATEL
Q.C. OFFICER	Q.C.EXECUTIVE		Q.C.MANAGER

Corp.off.: D-403, Titanium Square, Nr. Thaltej Cross Road, S.G. Highway Ahmedabad-380054. Phone: (079)40009421