



MIA | GMP | API REG | WDA | GDP | Sites

Mon 27 Dec 2021 14:46:56 BST

GMP Compliance Menu

GMP Certificates Non-Compliance Report

Print Preview	Print Preview (Short version)	Back To Search
	_	

National Authority of Medicines and Health Products, I.P.

CERTIFICATE NUMBER : FI042/MH/001/2017

CERTIFICATE OF GMP COMPLIANCE OF A MANUFACTURER (1), (2)

Part 1

Issued following an inspection in accordance with: Art. 111(5) of Directive 2001/83/EC as amended

The competent authority of Portugal confirms the following:

The manufacturer : Venus Remedies, Limited

Site address: Hill Top Industrial Estate, Jharmajri, EPIP Phase-I (Extn), Bhatoli Kalan, Baddi, Distt. Solan, Himachal Pradesh, 173205, India

Has been inspected in connection with marketing authorisation(s) listing manufacturers located outside of the European Economic Area in accordance with Art. 111(4) of Directive 2001/83/EC.

From the knowledge gained during inspection of this manufacturer, the latest of which was conducted on 2017-05-26, it is considered that it complies

The principles and guidelines of Good Manufacturing Practice laid down in Directive 2003/94/EC (3)

This certificate reflects the status of the manufacturing site at the time of the inspection noted above and should not be relied upon to reflect the compliance status if more than three years have elapsed since the date of that inspection. However, this period of validity may be reduced or extended using regulatory risk management principles by an entry in the Restrictions or Clarifying remarks field. This certificate is valid only when presented with all

pages and both Parts 1 and 2.
The authenticity of this certificate may be verified in EudraGMDP. If it does not appear, please contact the issuing authority.

- (1) The certificate referred to in paragraph 111(5) of Directive 2001/83/EC and 80(5) of Directive 2001/82/EC, shall also be required for imports coming from third countries into a Member State.
 (2) Guidance on the interpretation of this template can be found in the Help menu of EudraGMDP database.
 (3) These requirements fulfil the GMP recommendations of WHO.

Part 2

Human Medicinal Products

1 MANUFACTURING OPERATIONS

- 1.1.1 Aseptically prepared (processing operations for the following dosage forms)
 1.1.1.2 Lyophilisates
 1.1.1.4 Small volume liquids
 1.1.1.6 Other: Other(en)
 1.1.2 Terminally Sterilised (processing operations for the following dosage forms)
 1.1.2.3 Small volume liquids

1.6 Quality control testing

- 1.6.1 Microbiological: sterility
- 1.6.2 Microbiological: non-sterility 1.6.3 Chemical/Physical

1.1.1.6 Other aseptically prepared products: powders, cephalosporins and carbepenems, and cytostatics products lyophilisates 1.1.2.3 terminally sterilized, small volume liquids cytostatics.

2017-07-28

Name and signature of the authorised person of the Competent Authority of Portugal

Confidential

National Authority of Medicines and Health Products, I.P.

Tel: Confidential Fax: Confidential Due to the restrictions caused by COVID-19, the period of validity of MIA's, WDA's, GMP and GDP certificates is automatically extended until the end of 2022, except where clarifying remarks in the document state otherwise. Manufacturers, importers and distributors must continue to comply with GMP/GDP and all other legal obligations. On-site inspections are conducted where and when possible. Competent authorities reserve the right to perform risk based supervision of sites by either on-site inspections or distant assessments and, based on the outcome, may continue to issue, withdraw or restrict GMP/GDP certificates, as appropriate

For the UK, as from 1.1.2021, EU Law applies only to the territory of Northern Ireland (NI) to the extent foreseen in the Protocol on Ireland/NI.

Documents issued by UK authorities up to and including 31 December 2020 remain available for consultation in EudraGMDP. However, they are no longer included or updated from 1 January 2021, with the exception of the documents pertaining to sites located in Northern Ireland.

[EMA © 2014. EudraGMDP 6.4.9.9-covid-update build 2021/09/29 21:58]