



RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021
Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

ANTECEDENTES

Que mediante Resolución 2009037942 del 15 de Diciembre de 2009, el INVIMA concedió registro sanitario número INVIMA 2009DM- 0005088 para el producto SISTEMA MODULAR DE REVISION DE PROTESIS DE CADERA Y RODILLA MRP TITAN a favor de HOSPIIMPORT S.A, con domicilio en Bogotá en la modalidad de importar y vender.

Que mediante escrito número 20191181592 de fecha 17 de septiembre de 2019, la Doctora RUBIELA ARIAS DE FAJARDO en calidad de apoderada del establecimiento de HOSPIIMPORT S.A, presentó solicitud de Renovación del Registro Sanitario del producto BPK-S INTEGRATION / SISTEMA MODULAR DE REVISION DE PROTESIS DE RODILLA.

Que mediante Resolución No. 2020007242 de 27 de Febrero de 2020, el INVIMA MODIFICÓ la Resolución No. 2009037942 del 15 de diciembre de 2009, en el sentido de OBTENER APROBACIÓN PARA CAMBIO DE DOMICILIO DE TITULAR, IMPORTADOR Y ACONDICIONADOR

Que mediante auto número 2020008858 del 27 de julio de 2020, se le informa al interesado que una vez revisado el expediente y para continuar con el trámite solicitado debe cumplir con el siguiente requerimiento:

1. *Sírvase allegar la traducción oficial del Certificado de venta libre, del apostille (esta sin traducción), toda vez que el allegado a la solicitud de registro sanitario, es una traducción simple. Lo anterior de conformidad con el 44 del Decreto 4725 de 2005 y artículo 251 del Código General del Proceso.*
2. *Una vez estudiada su solicitud se identifica que pretende amparar varios dispositivos médicos en un mismo registro sanitario, lo cual puede ser posible siempre y cuando se dé cumplimiento con el artículo 28 del Decreto 4725 de 2005. Lo anterior, dado que en el Certificado de Venta libre se identifican varias familias, con sus respectivas referencias y el nombre del producto y un listado de referencias que no se puede evidenciar a que familias pertenecen. De acuerdo con lo anterior, se solicita se excluyan los sistemas que presentan indicación de uso y naturaleza diferente a la que se registra, toda vez que lo identificado dentro del estudio corresponde en su mayoría al producto MRP- TITAN prótesis de cadera. Por lo anterior, deberá excluir la información correspondiente a la prótesis de rodilla con referencias, o si por el contrario desea amparar el sistema de prótesis de rodilla deberá allegar toda la documentación correspondiente a indicaciones y usos, estudios técnicos y comprobaciones analíticas, estudios de estabilidad, de biocompatibilidad y etiquetado de los productos amparados como sistema de acuerdo al artículo 28 de decreto 4725 de 2005. De igual manera se evidencia referencias y partes llamadas Segmentos de Retención Craneal y Correas de Anclaje Craneal que no corresponderían a lo descrito en las indicaciones y usos del formulario, al igual que la naturaleza del dispositivo usado para extremidades inferiores. Por tanto, estas referencias deben ser excluidas de la presente solicitud por no cumplir con el artículo 28 del precitado decreto.*
3. *Allegar formulario corregido en la sección de nombre comercial y nombre genérico que coincida con lo declarado en el certificado de venta libre y descripción del producto a renovar, ya que esta información está incompleta en el formulario allegado. De igual manera, en este mismo formulario agrupar las referencias agrupadas por familias o por nombre de producto como se describen en el folio 27 del certificado de venta libre, ya que no se puede identificar las referencias adjuntas a que familia corresponden y esto genera confusión a la hora de evaluar lo presentado. Estos requerimientos se solicitan de acuerdo con el artículo 18 del Decreto 4725 de 2005*
4. *Allegar el formulario de solicitud de registro sanitario corregido en la sección de indicaciones y usos, según requerimiento No. 2. Lo anterior, de conformidad con el artículo 18 del decreto 4725 del 2005.*
5. *Allegar los estudios de estabilidad que permitan validar la vida útil atribuida, adjuntando resumen del método y procedimiento aplicado, verificación, validación y resultado final según requerimiento No. 2. Lo anterior, ya que no se evidenció este desarrollo en los folios 394 a 400. Esta solicitud se hace de conformidad del literal d) del artículo 18 del decreto 4725 del 2005.*
6. *Allegar sticker del importador donde se indique el nombre genérico del producto según requerimiento No. 2. Lo anterior, de conformidad del literal g) del artículo 18 del decreto 4725 del 2005.*

Que mediante radicado número 20191181592 del 1 de diciembre de 2020, asociado al radicado inicial No. 20191181592, la Doctora RUBIELA ARIAS DE FAJARDO en calidad de apoderada del establecimiento de HOSPIIMPORT S.A presentó respuesta al auto número 2020008858 del 27 de julio de 2020.



La salud
es de todos

Minsalud

República de Colombia
Ministerio de Salud y Protección Social
Instituto Nacional de Vigilancia de Medicamentos y Alimentos – INVIMA

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021
Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

CONSIDERANDO

Que ante este instituto se ha solicitado la renovación de un registro sanitario con base en la documentación allegada, previo estudio técnico y legal de la Dirección de Dispositivos Médicos y otras Tecnologías, del cual se emitió el auto No. 2020008858 del 27 de julio de 2020 y al que el interesado allegó la respectiva documentación para acceder a la renovación, siendo la respuesta SATISFACTORIA, por cuanto:

Se Allegó el Certificado de venta libre con su respectiva la traducción oficial y apostilla de acuerdo a reglado en el 44 del Decreto 4725 de 2005 y artículo 251 del Código General del Proceso.

La peticionaria Presentó indicaciones y usos, estudios técnicos y comprobaciones analíticas, estudios de estabilidad, de biocompatibilidad y etiquetado de los productos referenciados como sistemas. Así mismo se evidencia exclusión de los productos denominados Segmentos de Retención Craneal y Correas de Anclaje Craneal que no corresponderían a lo descrito en las indicaciones y usos y aquellos que son de diferente naturaleza del dispositivo usado para extremidades inferiores.

Allegó formulario corregido en la sección de nombre comercial y genérico según lo declarado en el certificado de venta libre y descripción y en el campo indicaciones y uso del producto a renovar.

Presenta estudios de estabilidad que permitan validar la vida útil atribuida, en el cual se concluye que la vida útil asignada al dispositivo medico corresponde a 5 años.

Anexo la etiqueta del importador donde se evidencia nombre genérico del producto y datos del importador

Adicionalmente se aprobó la modificación del domicilio de titular, importador y acondicionador de la Resolución No. 2009037942 del 15 de diciembre de 2009, mediante la Resolución No. 2020007242 de 27 de Febrero de 2020 la cual fue emitida con anterioridad a la renovación. Por tanto evidencia que la información de la modificación se encuentra correctamente diligenciada en el Formato Único de Diligenciamiento de Dispositivos allegado en el radicado 20191181592 del 01 de diciembre de 2020 como respuesta al auto.

Por otra parte, es preciso señalar que, en adelante las etiquetas de importador deben contener la nomenclatura correspondiente a la Renovación así: **Registro Sanitario No. INVIMA 2021DM- 0005088-R1**, so pena de quedar sujeto a las medidas sanitarias pertinentes, en el evento de una visita de Inspección, Vigilancia y Control, de acuerdo a lo establecido en el artículo 65 del Decreto 4725 de 2005 que cita:

***“Artículo 65. Competencia.** El Instituto Nacional de Vigilancia de Medicamentos y Alimentos, Invima, en coordinación con las Direcciones Departamentales o Distritales de Salud, de acuerdo con sus competencias, ejercerá las acciones de inspección, vigilancia y control sanitario y aplicará las medidas de prevención y correctivas necesarias para dar cumplimiento a las disposiciones contenidas en el presente decreto, de igual forma, tomarán las medidas sanitarias de seguridad y adelantarán los procedimientos y aplicarán las sanciones que se deriven de su incumplimiento.(...)”.*

En consecuencia, LA DIRECTORA TECNICA DE DISPOSITIVOS MEDICOS Y OTRAS TECNOLOGIAS,

RESUELVE

ARTICULO PRIMERO. - Renovar REGISTRO SANITARIO por el término de 10 años al

PRODUCTO: BPK-S INTEGRATION / SISTEMA MODULAR DE REVISION DE PROTESIS DE RODILLA,

REGISTRO SANITARIO No.: INVIMA 2021DM-0005088-R1

TIPO DE REGISTRO: IMPORTAR Y VENDER

TITULAR(ES): HOSPIMPORT S.A.S con domicilio en BOGOTA - D.C.

FABRICANTE(S): PETER BREHM GMBH con domicilio en ALEMANIA

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

IMPORTADOR(ES):

ACONDICIONADOR(ES):

TIPO DE DISPOSITIVO

RIESGO:

COMPOSICIÓN:

HOSPIMPORT S.A.S con domicilio en BOGOTA - D.C.

HOSPIMPORT S.A.S con domicilio en BOGOTA - D.C.

INVASIVO

Iib

PARTES QUE COMPONEN EL DISPOSITIVO MÉDICO	COMPOSICIÓN CUALITATIVA
ADAPTADORES DE FEMUR	CO28CR6MO
ADAPTADORES DE TIBIA	CO28CR6MO
AUMENTOS DE FEMUR	CO28CR6MO
AUMENTOS DE TIBIA	CO28CR6MO
CLAVIJAS DE BLOQUEO	CO28CR6MO
ESPIGAS DE ACOPLAMIENTO	CO28CR6MO
ENGANCHES	CO28CR6MO
COMPONENTES FEMORALES	CO28CR6MO-
COMPONENTES TIBIALES	CO28CR6MO
INSERTOS	POLIETILENO DE ULTRA ALTO PESO MOLECULAR (UHMW-PE)
ROTULASR	POLIETILENO DE ULTRA ALTO PESO MOLECULAR (UHMW-PE)
TOPES DE PROTECCION	POLIETILENO DE ULTRA ALTO PESO MOLECULAR (UHMW-PE)
VASTAGOS DE ANCLAJE	TI6AL4V
TORNILLOS DE APRIETE Y CIERRE	TI6AL4V
MODULO DE ARTRODESIS KAM	TI6AL4V

USOS:

EL SISTEME DE RODILLA BPK-S INTEGRATION ESTÁ DISEÑADO PARA EL REEMPLAZO DE LA ARTICULACIÓN DE RODILLA. LOS COMPONENTES INDIVIDUALES DEL SISTEMA SE OFRECEN CEMENTADOS Y TAMBIÉN SIN CEMENTO. LA RÓTULA SIEMPRE SE IMPLANTA CEMENTADA. EL OBJETIVO ES RESTABLECER LA GEOMETRÍA FISIOLÓGICA DE LA ARTICULACIÓN DE LA RODILLA CON UN ANCLAJE DE IMPLANTE ESTABLE Y UNA CINEMÁTICA FUNCIONAL.

PRESENTACIÓN COMERCIAL:

EMPAQUE INDIVIDUAL

OBSERVACIONES:

BAJO ESTE REGISSTRO SANITARIO SE AMPARAN LAS SIGUIETNES REFERENCIAS:

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42301-01	FEMUR COMPONENT UC CEMENTED SIZE: 1, LEFT
BPKS INTEGRATION RODILLA	42301-02	TIBIA COMPONENT UC CEMENTED SIZE: 1, LEFT
BPKS INTEGRATION RODILLA	42301-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 1, LEFT
BPKS INTEGRATION RODILLA	42301-04	LOCKING SCREW TIBIA UC
BPKS INTEGRATION RODILLA	42301-05	TIBIA COMPONENT SC CEMENTED SIZE: 1, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42301-07	TIBIA PE-INSERT UC FIX SIZE: 1 / 7 MM

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42301-09	TIBIA PE-INSERT UC FIX SIZE: 1 / 9 MM
BPKS INTEGRATION RODILLA	42301-11	TIBIA PE-INSERT UC FIX SIZE: 1 / 11 MM
BPKS INTEGRATION RODILLA	42301-13	TIBIA PE-INSERT UC FIX SIZE: 1 / 13 MM
BPKS INTEGRATION RODILLA	42301-15	TIBIA PE-INSERT UC FIX SIZE: 1 / 15 MM
BPKS INTEGRATION RODILLA	42301-17	TIBIA PE-INSERT UC FIX SIZE: 1 / 17 MM
BPKS INTEGRATION RODILLA	42301-18	PATELLA CEMENTED SIZE: 1, Ø 24 MM
BPKS INTEGRATION RODILLA	42301-20	PATELLA CEMENTED SIZE: 1, Ø 28 MM
BPKS INTEGRATION RODILLA	42302-01	FEMUR COMPONENT UC CEMENTED SIZE: 2, LEFT
BPKS INTEGRATION RODILLA	42302-02	TIBIA COMPONENT UC CEMENTED SIZE: 2, LEFT
BPKS INTEGRATION RODILLA	42302-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 2, LEFT
BPKS INTEGRATION RODILLA	42302-05	TIBIA COMPONENT SC CEMENTED SIZE: 2, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42302-07	TIBIA PE-INSERT UC FIX SIZE: 2 / 7 MM
BPKS INTEGRATION RODILLA	42302-09	TIBIA PE-INSERT UC FIX SIZE: 2 / 9 MM
BPKS INTEGRATION RODILLA	42302-11	TIBIA PE-INSERT UC FIX SIZE: 2 / 11 MM
BPKS INTEGRATION RODILLA	42302-13	TIBIA PE-INSERT UC FIX SIZE: 2 / 13 MM
BPKS INTEGRATION RODILLA	42302-15	TIBIA PE-INSERT UC FIX SIZE: 2 / 15 MM
BPKS INTEGRATION RODILLA	42302-17	TIBIA PE-INSERT UC FIX SIZE: 2 / 17 MM
BPKS INTEGRATION RODILLA	42302-18	PATELLA CEMENTED SIZE: 2, Ø 24 MM
BPKS INTEGRATION RODILLA	42302-20	PATELLA CEMENTED SIZE: 2, Ø 28 MM
BPKS INTEGRATION RODILLA	42303-01	FEMUR COMPONENT UC CEMENTED SIZE: 3, LEFT
BPKS INTEGRATION RODILLA	42303-01K	CERAMIC FEMUR COMPONENT UC CEMENTED SIZE: 3, LEFT
BPKS INTEGRATION RODILLA	42303-02	TIBIA COMPONENT UC CEMENTED SIZE: 3, LEFT
BPKS INTEGRATION RODILLA	42303-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 3, LEFT
BPKS INTEGRATION RODILLA	42303-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 3, LEFT
BPKS INTEGRATION RODILLA	42303-05	TIBIA COMPONENT SC CEMENTED SIZE: 3, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42303-07	TIBIA PE-INSERT UC FIX SIZE: 3 / 7 MM
BPKS INTEGRATION RODILLA	42303-09	TIBIA PE-INSERT UC FIX SIZE: 3 / 9 MM
BPKS INTEGRATION RODILLA	42303-11	TIBIA PE-INSERT UC FIX SIZE: 3 / 11 MM
BPKS INTEGRATION RODILLA	42303-13	TIBIA PE-INSERT UC FIX SIZE: 3 / 13 MM
BPKS INTEGRATION RODILLA	42303-15	TIBIA PE-INSERT UC FIX SIZE: 3 / 15 MM
BPKS INTEGRATION RODILLA	42303-17	TIBIA PE-INSERT UC FIX SIZE: 3 / 17 MM
BPKS INTEGRATION RODILLA	42303-18	PATELLA CEMENTED SIZE: 3, Ø 24 MM
BPKS INTEGRATION RODILLA	42303-20	PATELLA CEMENTED SIZE: 3, Ø 28 MM
BPKS INTEGRATION RODILLA	42303-22	PATELLA CEMENTED SIZE: 3, Ø 32 MM
BPKS INTEGRATION RODILLA	42304-01	FEMUR COMPONENT UC CEMENTED SIZE: 4, LEFT

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42304-01K	CERAMIC FEMUR COMPONENT UC CEMENTED SIZE: 4, LEFT
BPKS INTEGRATION RODILLA	42304-02	TIBIA COMPONENT UC CEMENTED SIZE: 4, LEFT
BPKS INTEGRATION RODILLA	42304-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 4, LEFT
BPKS INTEGRATION RODILLA	42304-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 4, LEFT
BPKS INTEGRATION RODILLA	42304-05	TIBIA COMPONENT SC CEMENTED SIZE: 4, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42304-07	TIBIA PE-INSERT UC FIX SIZE: 4 / 7 MM
BPKS INTEGRATION RODILLA	42304-09	TIBIA PE-INSERT UC FIX SIZE: 4 / 9 MM
BPKS INTEGRATION RODILLA	42304-11	TIBIA PE-INSERT UC FIX SIZE: 4 / 11 MM
BPKS INTEGRATION RODILLA	42304-13	TIBIA PE-INSERT UC FIX SIZE: 4 / 13 MM
BPKS INTEGRATION RODILLA	42304-15	TIBIA PE-INSERT UC FIX SIZE: 4 / 15 MM
BPKS INTEGRATION RODILLA	42304-17	TIBIA PE-INSERT UC FIX SIZE: 4 / 17 MM
BPKS INTEGRATION RODILLA	42304-18	PATELLA CEMENTED SIZE: 4, Ø 24 MM
BPKS INTEGRATION RODILLA	42304-20	PATELLA CEMENTED SIZE: 4, Ø 28 MM
BPKS INTEGRATION RODILLA	42304-22	PATELLA CEMENTED SIZE: 4, Ø 32 MM
BPKS INTEGRATION RODILLA	42304-26	PATELLA CEMENTED SIZE: 4, Ø 36 MM
BPKS INTEGRATION RODILLA	42305-01	FEMUR COMPONENT UC CEMENTED SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42305-01K	CERAMIC FEMUR COMPONENT UC CEMENTED SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42305-02	TIBIA COMPONENT UC CEMENTED SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42305-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42305-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42305-05	TIBIA COMPONENT SC CEMENTED SIZE: 5, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42305-07	TIBIA PE-INSERT UC FIX SIZE: 5 / 7 MM
BPKS INTEGRATION RODILLA	42305-09	TIBIA PE-INSERT UC FIX SIZE: 5 / 9 MM
BPKS INTEGRATION RODILLA	42305-11	TIBIA PE-INSERT UC FIX SIZE: 5 / 11 MM
BPKS INTEGRATION RODILLA	42305-13	TIBIA PE-INSERT UC FIX SIZE: 5 / 13 MM
BPKS INTEGRATION RODILLA	42305-15	TIBIA PE-INSERT UC FIX SIZE: 5 / 15 MM
BPKS INTEGRATION RODILLA	42305-17	TIBIA PE-INSERT UC FIX SIZE: 5 / 17 MM
BPKS INTEGRATION RODILLA	42305-20	PATELLA CEMENTED SIZE: 5, Ø 28 MM
BPKS INTEGRATION RODILLA	42305-22	PATELLA CEMENTED SIZE: 5, Ø 32 MM
BPKS INTEGRATION RODILLA	42305-26	PATELLA CEMENTED SIZE: 5, Ø 36 MM
BPKS INTEGRATION RODILLA	42306-01	FEMUR COMPONENT UC CEMENTED SIZE: 6, LEFT
BPKS INTEGRATION RODILLA	42306-01K	CERAMIC FEMUR COMPONENT UC CEMENTED SIZE: 6, LEFT
BPKS INTEGRATION RODILLA	42306-02	TIBIA COMPONENT UC CEMENTED SIZE: 6, LEFT

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42306-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 6, LEFT
BPKS INTEGRATION RODILLA	42306-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 6, LEFT
BPKS INTEGRATION RODILLA	42306-05	TIBIA COMPONENT SC CEMENTED SIZE: 6, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42306-07	TIBIA PE-INSERT UC FIX SIZE: 6 / 7 MM
BPKS INTEGRATION RODILLA	42306-09	TIBIA PE-INSERT UC FIX SIZE: 6 / 9 MM
BPKS INTEGRATION RODILLA	42306-11	TIBIA PE-INSERT UC FIX SIZE: 6 / 11 MM
BPKS INTEGRATION RODILLA	42306-13	TIBIA PE-INSERT UC FIX SIZE: 6 / 13 MM
BPKS INTEGRATION RODILLA	42306-15	TIBIA PE-INSERT UC FIX SIZE: 6 / 15 MM
BPKS INTEGRATION RODILLA	42306-17	TIBIA PE-INSERT UC FIX SIZE: 6 / 17 MM
BPKS INTEGRATION RODILLA	42306-20	PATELLA CEMENTED SIZE: 6, Ø 28 MM
BPKS INTEGRATION RODILLA	42306-22	PATELLA CEMENTED SIZE: 6, Ø 32 MM
BPKS INTEGRATION RODILLA	42307-02	TIBIA COMPONENT UC CEMENTED SIZE: 7, LEFT
BPKS INTEGRATION RODILLA	42307-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 7, LEFT
BPKS INTEGRATION RODILLA	42307-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 7, LEFT
BPKS INTEGRATION RODILLA	42307-05	TIBIA COMPONENT SC CEMENTED SIZE: 7, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42308-02	TIBIA COMPONENT UC CEMENTED SIZE: 8, LEFT
BPKS INTEGRATION RODILLA	42308-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 8, LEFT
BPKS INTEGRATION RODILLA	42308-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 8, LEFT
BPKS INTEGRATION RODILLA	42308-05	TIBIA COMPONENT SC CEMENTED SIZE: 8, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42401-01	FEMUR COMPONENT UC CEMENTED SIZE: 1, RIGHT
BPKS INTEGRATION RODILLA	42401-02	TIBIA COMPONENT UC CEMENTED SIZE: 1, RIGHT
BPKS INTEGRATION RODILLA	42401-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 1, RIGHT
BPKS INTEGRATION RODILLA	42401-07	TIBIA PE-INSERT UC MOBILE SIZE: 1 / 7 MM
BPKS INTEGRATION RODILLA	42401-09	TIBIA PE-INSERT UC MOBILE SIZE: 1 / 9 MM
BPKS INTEGRATION RODILLA	42401-11	TIBIA PE-INSERT UC MOBILE SIZE: 1 / 11 MM
BPKS INTEGRATION RODILLA	42401-13	TIBIA PE-INSERT UC MOBILE SIZE: 1 / 13 MM
BPKS INTEGRATION RODILLA	42401-15	TIBIA PE-INSERT UC MOBILE SIZE: 1 / 15 MM
BPKS INTEGRATION RODILLA	42401-17	TIBIA PE-INSERT UC MOBILE SIZE: 1 / 17 MM
BPKS INTEGRATION RODILLA	42402-01	FEMUR COMPONENT UC CEMENTED SIZE: 2, RIGHT
BPKS INTEGRATION RODILLA	42402-02	TIBIA COMPONENT UC CEMENTED SIZE: 2, RIGHT
BPKS INTEGRATION RODILLA	42402-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 2, RIGHT

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42402-07	TIBIA PE-INSERT UC MOBILE SIZE: 2 / 7 MM
BPKS INTEGRATION RODILLA	42402-09	TIBIA PE-INSERT UC MOBILE SIZE: 2 / 9 MM
BPKS INTEGRATION RODILLA	42402-11	TIBIA PE-INSERT UC MOBILE SIZE: 2 / 11 MM
BPKS INTEGRATION RODILLA	42402-13	TIBIA PE-INSERT UC MOBILE SIZE: 2 / 13 MM
BPKS INTEGRATION RODILLA	42402-15	TIBIA PE-INSERT UC MOBILE SIZE: 2 / 15 MM
BPKS INTEGRATION RODILLA	42402-17	TIBIA PE-INSERT UC MOBILE SIZE: 2 / 17 MM
BPKS INTEGRATION RODILLA	42403-01	FEMUR COMPONENT UC CEMENTED SIZE: 3, RIGHT
BPKS INTEGRATION RODILLA	42403-01K	CERAMIC FEMUR COMPONENT UC CEMENTED SIZE: 3, RIGHT
BPKS INTEGRATION RODILLA	42403-02	TIBIA COMPONENT UC CEMENTED SIZE: 3, RIGHT
BPKS INTEGRATION RODILLA	42403-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 3, RIGHT
BPKS INTEGRATION RODILLA	42403-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 3, RIGHT
BPKS INTEGRATION RODILLA	42403-07	TIBIA PE-INSERT UC MOBILE SIZE: 3 / 7 MM
BPKS INTEGRATION RODILLA	42403-09	TIBIA PE-INSERT UC MOBILE SIZE: 3 / 9 MM
BPKS INTEGRATION RODILLA	42403-11	TIBIA PE-INSERT UC MOBILE SIZE: 3 / 11 MM
BPKS INTEGRATION RODILLA	42403-13	TIBIA PE-INSERT UC MOBILE SIZE: 3 / 13 MM
BPKS INTEGRATION RODILLA	42403-15	TIBIA PE-INSERT UC MOBILE SIZE: 3 / 15 MM
BPKS INTEGRATION RODILLA	42403-17	TIBIA PE-INSERT UC MOBILE SIZE: 3 / 17 MM
BPKS INTEGRATION RODILLA	42404-01	FEMUR COMPONENT UC CEMENTED SIZE: 4, RIGHT
BPKS INTEGRATION RODILLA	42404-01K	CERAMIC FEMUR COMPONENT UC CEMENTED SIZE: 4, RIGHT
BPKS INTEGRATION RODILLA	42404-02	TIBIA COMPONENT UC CEMENTED SIZE: 4, RIGHT
BPKS INTEGRATION RODILLA	42404-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 4, RIGHT
BPKS INTEGRATION RODILLA	42404-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 4, RIGHT
BPKS INTEGRATION RODILLA	42404-07	TIBIA PE-INSERT UC MOBILE SIZE: 4 / 7 MM
BPKS INTEGRATION RODILLA	42404-09	TIBIA PE-INSERT UC MOBILE SIZE: 4 / 9 MM
BPKS INTEGRATION RODILLA	42404-11	TIBIA PE-INSERT UC MOBILE SIZE: 4 / 11 MM
BPKS INTEGRATION RODILLA	42404-13	TIBIA PE-INSERT UC MOBILE SIZE: 4 / 13 MM
BPKS INTEGRATION RODILLA	42404-15	TIBIA PE-INSERT UC MOBILE SIZE: 4 / 15 MM
BPKS INTEGRATION RODILLA	42404-17	TIBIA PE-INSERT UC MOBILE SIZE: 4 / 17 MM
BPKS INTEGRATION RODILLA	42405-01	FEMUR COMPONENT UC CEMENTED SIZE: 5, RIGHT
BPKS INTEGRATION RODILLA	42405-01K	CERAMIC FEMUR COMPONENT UC CEMENTED SIZE: 5, RIGHT
BPKS INTEGRATION RODILLA	42405-02	TIBIA COMPONENT UC CEMENTED SIZE: 5, RIGHT
BPKS INTEGRATION RODILLA	42405-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 5, RIGHT

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42405-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 5, RIGHT
BPKS INTEGRATION RODILLA	42405-07	TIBIA PE-INSERT UC MOBILE SIZE: 5 / 7 MM
BPKS INTEGRATION RODILLA	42405-09	TIBIA PE-INSERT UC MOBILE SIZE: 5 / 9 MM
BPKS INTEGRATION RODILLA	42405-11	TIBIA PE-INSERT UC MOBILE SIZE: 5 / 11 MM
BPKS INTEGRATION RODILLA	42405-13	TIBIA PE-INSERT UC MOBILE SIZE: 5 / 13 MM
BPKS INTEGRATION RODILLA	42405-15	TIBIA PE-INSERT UC MOBILE SIZE: 5 / 15 MM
BPKS INTEGRATION RODILLA	42405-17	TIBIA PE-INSERT UC MOBILE SIZE: 5 / 17 MM
BPKS INTEGRATION RODILLA	42406-01	FEMUR COMPONENT UC CEMENTED SIZE: 6
BPKS INTEGRATION RODILLA	42406-01K	CERAMIC FEMUR COMPONENT UC CEMENTED SIZE: 6, RIGHT
BPKS INTEGRATION RODILLA	42406-02	TIBIA COMPONENT UC CEMENTED SIZE: 6, RIGHT
BPKS INTEGRATION RODILLA	42406-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 6, RIGHT
BPKS INTEGRATION RODILLA	42406-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 6, RIGHT
BPKS INTEGRATION RODILLA	42406-07	TIBIA PE-INSERT UC MOBILE SIZE: 6 / 7 MM
BPKS INTEGRATION RODILLA	42406-09	TIBIA PE-INSERT UC MOBILE SIZE: 6 / 9 MM
BPKS INTEGRATION RODILLA	42406-11	TIBIA PE-INSERT UC MOBILE SIZE: 6 / 11 MM
BPKS INTEGRATION RODILLA	42406-13	TIBIA PE-INSERT UC MOBILE SIZE: 6 / 13 MM
BPKS INTEGRATION RODILLA	42406-15	TIBIA PE-INSERT UC MOBILE SIZE: 6 / 15 MM
BPKS INTEGRATION RODILLA	42406-17	TIBIA PE-INSERT UC MOBILE SIZE: 6 / 17 MM
BPKS INTEGRATION RODILLA	42407-02	TIBIA COMPONENT UC CEMENTED SIZE: 7, RIGHT
BPKS INTEGRATION RODILLA	42407-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 7, RIGHT
BPKS INTEGRATION RODILLA	42407-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 7, RIGHT
BPKS INTEGRATION RODILLA	42408-02	TIBIA COMPONENT UC CEMENTED SIZE: 8, RIGHT
BPKS INTEGRATION RODILLA	42408-03	TIBIA COMPONENT UC + SC CEMENTED SIZE: 8, RIGHT
BPKS INTEGRATION RODILLA	42408-03K	CERAMIC TIBIA COMPONENT UC MOBILE CEMENTED SIZE: 8, RIGHT
BPKS INTEGRATION RODILLA	42411-07	PE-INSERT UC DD MOBILE SIZE: 1 / 7 MM
BPKS INTEGRATION RODILLA	42411-09	PE-INSERT UC DD MOBILE SIZE: 1 / 9 MM
BPKS INTEGRATION RODILLA	42411-11	PE-INSERT UC DD MOBILE SIZE: 1 / 11 MM
BPKS INTEGRATION RODILLA	42411-13	PE-INSERT UC DD MOBILE SIZE: 1 / 13 MM
BPKS INTEGRATION RODILLA	42411-15	PE-INSERT UC DD MOBILE SIZE: 1 / 15 MM
BPKS INTEGRATION RODILLA	42411-17	PE-INSERT UC DD MOBILE SIZE: 1 / 17 MM
BPKS INTEGRATION RODILLA	42412-07	PE-INSERT UC DD MOBILE SIZE: 2 / 7 MM
BPKS INTEGRATION RODILLA	42412-09	PE-INSERT UC DD MOBILE SIZE: 2 / 9 MM
BPKS INTEGRATION RODILLA	42412-11	PE-INSERT UC DD MOBILE SIZE: 2 / 11 MM
BPKS INTEGRATION RODILLA	42412-13	PE-INSERT UC DD MOBILE SIZE: 2 / 13 MM

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42412-15	PE-INSERT UC DD MOBILE SIZE: 2 / 15 MM
BPKS INTEGRATION RODILLA	42412-17	PE-INSERT UC DD MOBILE SIZE: 2 / 17 MM
BPKS INTEGRATION RODILLA	42413-07	PE-INSERT UC DD MOBILE SIZE: 3 / 7 MM
BPKS INTEGRATION RODILLA	42413-09	PE-INSERT UC DD MOBILE SIZE: 3 / 9 MM
BPKS INTEGRATION RODILLA	42413-11	PE-INSERT UC DD MOBILE SIZE: 3 / 11 MM
BPKS INTEGRATION RODILLA	42413-13	PE-INSERT UC DD MOBILE SIZE: 3 / 13 MM
BPKS INTEGRATION RODILLA	42413-15	PE-INSERT UC DD MOBILE SIZE: 3 / 15 MM
BPKS INTEGRATION RODILLA	42413-17	PE-INSERT UC DD MOBILE SIZE: 3 / 17 MM
BPKS INTEGRATION RODILLA	42414-07	PE-INSERT UC DD MOBILE SIZE: 4 / 7 MM
BPKS INTEGRATION RODILLA	42414-09	PE-INSERT UC DD MOBILE SIZE: 4 / 9 MM
BPKS INTEGRATION RODILLA	42414-11	PE-INSERT UC DD MOBILE SIZE: 4 / 11 MM
BPKS INTEGRATION RODILLA	42414-13	PE-INSERT UC DD MOBILE SIZE: 4 / 13 MM
BPKS INTEGRATION RODILLA	42414-15	PE-INSERT UC DD MOBILE SIZE: 4 / 15 MM
BPKS INTEGRATION RODILLA	42414-17	PE-INSERT UC DD MOBILE SIZE: 4 / 17 MM
BPKS INTEGRATION RODILLA	42415-07	PE-INSERT UC DD MOBILE SIZE: 5 / 7 MM
BPKS INTEGRATION RODILLA	42415-09	PE-INSERT UC DD MOBILE SIZE: 5 / 9 MM
BPKS INTEGRATION RODILLA	42415-11	PE-INSERT UC DD MOBILE SIZE: 5 / 11 MM
BPKS INTEGRATION RODILLA	42415-13	PE-INSERT UC DD MOBILE SIZE: 5 / 13 MM
BPKS INTEGRATION RODILLA	42415-15	PE-INSERT UC DD MOBILE SIZE: 5 / 15 MM
BPKS INTEGRATION RODILLA	42415-17	PE-INSERT UC DD MOBILE SIZE: 5 / 17 MM
BPKS INTEGRATION RODILLA	42416-07	PE-INSERT UC DD MOBILE SIZE: 6 / 7 MM
BPKS INTEGRATION RODILLA	42416-09	PE-INSERT UC DD MOBILE SIZE: 6 / 9 MM
BPKS INTEGRATION RODILLA	42416-11	PE-INSERT UC DD MOBILE SIZE: 6 / 11 MM
BPKS INTEGRATION RODILLA	42416-13	PE-INSERT UC DD MOBILE SIZE: 6 / 13 MM
BPKS INTEGRATION RODILLA	42416-15	PE-INSERT UC DD MOBILE SIZE: 6 / 15 MM
BPKS INTEGRATION RODILLA	42416-17	PE-INSERT UC DD MOBILE SIZE: 6 / 17 MM
BPKS INTEGRATION RODILLA	42421-07-02	LOCKING PIN SIZE: 7 MM
BPKS INTEGRATION RODILLA	42421-09-02	LOCKING PIN SIZE: 9 MM
BPKS INTEGRATION RODILLA	42421-11-02	LOCKING PIN SIZE: 11 MM
BPKS INTEGRATION RODILLA	42421-13-02	LOCKING PIN SIZE: 13 MM
BPKS INTEGRATION RODILLA	42421-15-02	LOCKING PIN SIZE: 15 MM
BPKS INTEGRATION RODILLA	42421-17-02	LOCKING PIN SIZE: 17 MM
BPKS INTEGRATION RODILLA	42423-07	PE-INSERT SC MOBILE BEARING SIZE: 3 / 7 MM
BPKS INTEGRATION RODILLA	42423-07-00	PE-INSERT SC MOBILE BEARING SIZE: 3 / 7 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42423-09	PE-INSERT SC MOBILE BEARING SIZE: 3 / 9 MM
BPKS INTEGRATION RODILLA	42423-09-00	PE-INSERT SC MOBILE BEARING SIZE: 3 / 9 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42423-11	PE-INSERT SC MOBILE BEARING SIZE: 3 / 11 MM

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42423-11-00	PE-INSERT SC MOBILE BEARING SIZE: 3 / 11 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42423-13	PE-INSERT SC MOBILE BEARING SIZE: 3 / 13 MM
BPKS INTEGRATION RODILLA	42423-13-00	PE-INSERT SC MOBILE BEARING SIZE: 3 / 13 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42423-15	PE-INSERT SC MOBILE BEARING SIZE: 3 / 15 MM
BPKS INTEGRATION RODILLA	42423-15-00	PE-INSERT SC MOBILE BEARING SIZE: 3 / 15 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42423-17	PE-INSERT SC MOBILE BEARING SIZE: 3 / 17 MM
BPKS INTEGRATION RODILLA	42423-17-00	PE-INSERT SC MOBILE BEARING SIZE: 3 / 17 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42424-07	PE-INSERT SC MOBILE BEARING SIZE: 4 / 7 MM
BPKS INTEGRATION RODILLA	42424-07-00	PE-INSERT SC MOBILE BEARING SIZE: 4 / 7 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42424-09	PE-INSERT SC MOBILE BEARING SIZE: 4 / 9 MM
BPKS INTEGRATION RODILLA	42424-09-00	PE-INSERT SC MOBILE BEARING SIZE: 4 / 9 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42424-11	PE-INSERT SC MOBILE BEARING SIZE: 4 / 11 MM
BPKS INTEGRATION RODILLA	42424-11-00	PE-INSERT SC MOBILE BEARING SIZE: 4 / 11 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42424-13	PE-INSERT SC MOBILE BEARING SIZE: 4 / 13 MM
BPKS INTEGRATION RODILLA	42424-13-00	PE-INSERT SC MOBILE BEARING SIZE: 4 / 13 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42424-15	PE-INSERT SC MOBILE BEARING SIZE: 4 / 15 MM
BPKS INTEGRATION RODILLA	42424-15-00	PE-INSERT SC MOBILE BEARING SIZE: 4 / 15 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42424-17	PE-INSERT SC MOBILE BEARING SIZE: 4 / 17 MM
BPKS INTEGRATION RODILLA	42424-17-00	PE-INSERT SC MOBILE BEARING SIZE: 4 / 17 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42425-07	PE-INSERT SC MOBILE BEARING SIZE: 5 / 7 MM
BPKS INTEGRATION RODILLA	42425-07-00	PE-INSERT SC MOBILE BEARING SIZE: 5 / 7 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42425-09	PE-INSERT SC MOBILE BEARINGSIZE: 5 / 9 MM
BPKS INTEGRATION RODILLA	42425-09-00	PE-INSERT SC MOBILE BEARING SIZE: 5 / 9 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42425-11	PE-INSERT SC MOBILE BEARING SIZE: 5 / 11 MM
BPKS INTEGRATION RODILLA	42425-11-00	PE-INSERT SC MOBILE BEARING PIN SIZE: 5 / 11 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42425-13	PE-INSERT SC MOBILE BEARING SIZE: 5 / 13 MM
BPKS INTEGRATION RODILLA	42425-13-00	PE-INSERT SC MOBILE BEARING SIZE: 5 / 13 WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42425-15	PE-INSERT SC MOBILE BEARING SIZE: 5 / 15 MM
BPKS INTEGRATION RODILLA	42425-15-00	PE-INSERT SC MOBILE BEARING SIZE: 5 / 15 WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42425-17	PE-INSERT SC MOBILE BEARING SIZE: 5 / 17 MM

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42425-17-00	PE-INSERT SC MOBILE BEARING SIZE: 5 / 17 WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42426-07	PE-INSERT SC MOBILE BEARING SIZE: 6 / 7 MM
BPKS INTEGRATION RODILLA	42426-07-00	PE-INSERT SC MOBILE BEARING SIZE: 6 / 7 WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42426-09	PE-INSERT SC MOBILE BEARING SIZE: 6 / 9 MM
BPKS INTEGRATION RODILLA	42426-09-00	PE-INSERT SC MOBILE BEARING SIZE: 6 / 9 WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42426-11	PE-INSERT SC MOBILE BEARING SIZE: 6 / 11 MM
BPKS INTEGRATION RODILLA	42426-11-00	PE-INSERT SC MOBILE BEARING SIZE: 6 / 11 WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42426-13	PE-INSERT SC MOBILE BEARING SIZE: 6 / 13 MM
BPKS INTEGRATION RODILLA	42426-13-00	PE-INSERT SC MOBILE BEARING SIZE: 6 / 13 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42426-15	PE-INSERT SC MOBILE BEARING SIZE: 6 / 15 MM
BPKS INTEGRATION RODILLA	42426-15-00	PE-INSERT SC MOBILE BEARING SIZE: 6 / 15 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42426-17	PE-INSERT SC MOBILE BEARING SIZE: 6 / 17 MM
BPKS INTEGRATION RODILLA	42426-17-00	PE-INSERT SC MOBILE BEARING SIZE: 6 / 17 MM WITH LOCKING PIN
BPKS INTEGRATION RODILLA	42501-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 1,
BPKS INTEGRATION RODILLA	42501-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 1, LEFT
BPKS INTEGRATION RODILLA	42501-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 1, LEFT
BPKS INTEGRATION RODILLA	42502-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 2,
BPKS INTEGRATION RODILLA	42502-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 2, LEFT
BPKS INTEGRATION RODILLA	42502-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 2, LEFT
BPKS INTEGRATION RODILLA	42503-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 3,
BPKS INTEGRATION RODILLA	42503-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 3, LEFT
BPKS INTEGRATION RODILLA	42503-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 3, LEFT
BPKS INTEGRATION RODILLA	42504-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 4,
BPKS INTEGRATION RODILLA	42504-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 4, LEFT
BPKS INTEGRATION RODILLA	42504-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 4, LEFT
BPKS INTEGRATION RODILLA	42505-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42505-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42505-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42506-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 6, LEFT
BPKS INTEGRATION RODILLA	42506-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 6, LEFT
BPKS INTEGRATION RODILLA	42506-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 6,

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
		LEFT
BPKS INTEGRATION RODILLA	42507-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 7, LEFT
BPKS INTEGRATION RODILLA	42507-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 7, LEFT
BPKS INTEGRATION RODILLA	42508-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 8, LEFT
BPKS INTEGRATION RODILLA	42508-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 8, LEFT
BPKS INTEGRATION RODILLA	42601-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 1,
BPKS INTEGRATION RODILLA	42601-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 1, RIGHT
BPKS INTEGRATION RODILLA	42601-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 1, RIGHT
BPKS INTEGRATION RODILLA	42602-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 2,
BPKS INTEGRATION RODILLA	42602-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 2, RIGHT
BPKS INTEGRATION RODILLA	42602-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 2, RIGHT
BPKS INTEGRATION RODILLA	42603-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 3,
BPKS INTEGRATION RODILLA	42603-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 3, RIGHT
BPKS INTEGRATION RODILLA	42603-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 3, RIGHT
BPKS INTEGRATION RODILLA	42604-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 4,
BPKS INTEGRATION RODILLA	42604-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 4, RIGHT
BPKS INTEGRATION RODILLA	42604-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 4, RIGHT
BPKS INTEGRATION RODILLA	42605-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 5,
BPKS INTEGRATION RODILLA	42605-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 5, RIGHT
BPKS INTEGRATION RODILLA	42605-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 5, RIGHT
BPKS INTEGRATION RODILLA	42606-01	FEMUR COMPONENT UC CEMENTLESS SIZE: 6,
BPKS INTEGRATION RODILLA	42606-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 6, RIGHT
BPKS INTEGRATION RODILLA	42606-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 6, RIGHT
BPKS INTEGRATION RODILLA	42607-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 7, RIGHT
BPKS INTEGRATION RODILLA	42607-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 7, RIGHT
BPKS INTEGRATION RODILLA	42608-02	TIBIA COMPONENT UC CEMENTLESS SIZE: 8, RIGHT
BPKS INTEGRATION RODILLA	42608-03	TIBIA COMPONENT UC + SC CEMENTLESS SIZE: 8, RIGHT
BPKS INTEGRATION RODILLA	42701-04	CLAMP SCREW SIZE: M6 X 0,5

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42701-05	AXIS
BPKS INTEGRATION RODILLA	42701-31	COUPLING PIN TH FOR PE INSERT SIZE: 7 MM
BPKS INTEGRATION RODILLA	42701-32	COUPLING PIN TH FOR PE INSERT SIZE: 9 MM
BPKS INTEGRATION RODILLA	42701-33	COUPLING PIN TH FOR PE INSERT SIZE: 11 MM
BPKS INTEGRATION RODILLA	42701-34	COUPLING PIN TH FOR PE INSERT SIZE: 13 MM
BPKS INTEGRATION RODILLA	42701-35	COUPLING PIN TH FOR PE INSERT SIZE: 15 MM
BPKS INTEGRATION RODILLA	42701-36	COUPLING PIN TH FOR PE INSERT SIZE: 17 MM
BPKS INTEGRATION RODILLA	42701-37	COUPLING PIN TH FOR PE INSERT SIZE: 19 MM
BPKS INTEGRATION RODILLA	42701-38	COUPLING PIN TH FOR PE INSERT SIZE: 21 MM
BPKS INTEGRATION RODILLA	42701-39	COUPLING PIN TH FOR PE INSERT SIZE: 23 MM
BPKS INTEGRATION RODILLA	42701-40	COUPLING PIN TH FOR PE INSERT SIZE: 25 MM
BPKS INTEGRATION RODILLA	42701-41	COUPLING PIN RH FOR PE INSERT SIZE: 7 MM
BPKS INTEGRATION RODILLA	42701-42	COUPLING PIN RH FOR PE INSERT SIZE: 9 MM
BPKS INTEGRATION RODILLA	42701-43	COUPLING PIN RH FOR PE INSERT SIZE: 11 MM
BPKS INTEGRATION RODILLA	42701-44	COUPLING PIN RH FOR PE INSERT SIZE: 13 MM
BPKS INTEGRATION RODILLA	42701-45	COUPLING PIN RH FOR PE INSERT SIZE: 15 MM
BPKS INTEGRATION RODILLA	42701-46	COUPLING PIN RH FOR PE INSERT SIZE: 17 MM
BPKS INTEGRATION RODILLA	42701-47	COUPLING PIN RH FOR PE INSERT SIZE: 19 MM
BPKS INTEGRATION RODILLA	42701-48	COUPLING PIN RH FOR PE INSERT SIZE: 21 MM
BPKS INTEGRATION RODILLA	42701-49	COUPLING PIN RH FOR PE INSERT SIZE: 23 MM
BPKS INTEGRATION RODILLA	42701-50	COUPLING PIN RH FOR PE INSERT SIZE: 25 MM
BPKS INTEGRATION RODILLA	42701-51	SCREW PLUG FEMUR / TIBIA UC + SC
BPKS INTEGRATION RODILLA	42701-52	ADAPTER 0° TIBIA SC + RH + TH
BPKS INTEGRATION RODILLA	42701-52-00	ADAPTER 0° TIBIA SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42701-53	OFFSET ADAPTER 4 MM TIBIA SC + RH + TH
BPKS INTEGRATION RODILLA	42701-53-00	OFFSET ADAPTER 4 MM TIBIA SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42701-54	ADAPTER 3° TIBIA SC + RH + TH
BPKS INTEGRATION RODILLA	42701-54-00	ADAPTER 3° TIBIA SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42701-56	LOCK NUT FOR ADAPTER
BPKS INTEGRATION RODILLA	42701-57	LOCK NUT FOR ANCHORING STEM
BPKS INTEGRATION RODILLA	42701-63	CLAMP SCREW FOR AUGMENT SIZE: 5 MM
BPKS INTEGRATION RODILLA	42701-64	CLAMP SCREW FOR AUGMENT SIZE: 10 MM
BPKS INTEGRATION RODILLA	42701-65	CLAMP SCREW FOR AUGMENT SIZE: 15 MM
BPKS INTEGRATION RODILLA	42703-01	FEMUR COMPONENT SC CEMENTED SIZE: 3, LEFT
BPKS INTEGRATION RODILLA	42703-01-00	FEMUR COMPONENT RH + TH CEMENTED SIZE: 3 LEFT WITH COUPLING PIN NECK, YOKE, CLAMP SCREW, HIPEREXTENSION STOP
BPKS INTEGRATION RODILLA	42703-01-10	FEMUR COMPONENT SC CEMENTED SIZE: 3, LEFT WITH CEMENT PROTECTION

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42703-01-11	CEMENT PROTECTION FEMORAL COMPONENT SC CEMENTED SIZE: 3
BPKS INTEGRATION RODILLA	42703-01-12	SET OF PLUGS
BPKS INTEGRATION RODILLA	42703-01-12-01	PLUG
BPKS INTEGRATION RODILLA	42703-01-21	CEMENT PROTECTION FOR FEMUR COMPONENT RH + TH CEMENTED SIZE: 3
BPKS INTEGRATION RODILLA	42703-02	TIBIA COMPONENT RH + TH CEMENTED SIZE: 3, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42703-03	COUPLING PIN NECK RH + TH SZ 3
BPKS INTEGRATION RODILLA	42703-07	PE-INSERT RH + TH SIZE: 3 / 7 MM
BPKS INTEGRATION RODILLA	42703-09	PE-INSERT RH + TH SIZE: 3 / 9 MM
BPKS INTEGRATION RODILLA	42703-11	PE-INSERT RH + TH SIZE: 3 / 11 MM
BPKS INTEGRATION RODILLA	42703-13	PE-INSERT RH + TH SIZE: 3 / 13 MM
BPKS INTEGRATION RODILLA	42703-15	PE-INSERT RH + TH SIZE: 3 / 15 MM
BPKS INTEGRATION RODILLA	42703-17	PE-INSERT RH + TH SIZE: 3 / 17 MM
BPKS INTEGRATION RODILLA	42703-19	PE-INSERT RH + TH SIZE: 3 / 19 MM
BPKS INTEGRATION RODILLA	42703-21	PE-INSERT RH + TH SIZE: 3 / 21 MM
BPKS INTEGRATION RODILLA	42703-23	PE-INSERT RH + TH SIZE: 3 / 23 MM
BPKS INTEGRATION RODILLA	42703-25	PE-INSERT RH + TH SIZE: 3 / 25 MM
BPKS INTEGRATION RODILLA	42703-52	ADAPTER 0°FEMUR SZ. 3 SC + RH + TH
BPKS INTEGRATION RODILLA	42703-52-00	ADAPTER 0°FEMUR SZ. 3 SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42703-53	OFFSET ADAPTER 4 MM FEMUR SIZES 3 SC + RH + TH
BPKS INTEGRATION RODILLA	42703-53-00	OFFSET ADAPTER 4 MM FEMUR SIZES 3 SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42703-54	ADAPTER 3° FEMUR SC + RH + TH SIZE: 3°
BPKS INTEGRATION RODILLA	42703-54-00	ADAPTER 3° FEMUR SIZE: 3 SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42703-61	HIPEREXTENSION STOP FOR FEMUR RH + TH SIZE: 3
BPKS INTEGRATION RODILLA	42703-71	AUGMENTATION FEMUR DISTAL SC + RH + TH SIZE: 3 / 5 MM
BPKS INTEGRATION RODILLA	42703-71-00	AUGMENTATION FEMUR SIZE: 3 / 5 MM DISTAL SC + RH + TH WITH CLAMP SCREW
BPKS INTEGRATION RODILLA	42703-72	AUGMENTATION FEMUR DISTAL SC + RH + TH SIZE: 3 / 10 MM
BPKS INTEGRATION RODILLA	42703-72-00	AUGMENTATION FEMUR DISTAL SC + RH + TH WITH COUNTER NUT SIZE: 3 / 10 MM
BPKS INTEGRATION RODILLA	42703-73	AUGMENTATION FEMUR DISTAL / 5 MM POST.SC + RH + TH SIZE: 3 / 10 MM
BPKS INTEGRATION RODILLA	42703-73-00	AUGMENTATION FEMUR DISTAL / 10 MM POSTERIOR SC + RH + TH WITH COUNTER NUT SIZE: 3 / 10 MM
BPKS INTEGRATION RODILLA	42703-74	AUGMENTATION FEMUR DISTAL 10 MM POST. SC +

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
		RH + TH SIZE: 3 / 5 MM
BPKS INTEGRATION RODILLA	42703-74-00	AUGMENTATION FEMUR DISTAL 10 MM POST. SC + RH + TH WITH COUNTER NUT SIZE: 3 / 5 MM
BPKS INTEGRATION RODILLA	42703-75	AUGMENTATION FEMUR DISTAL 10 MM POST. SC + RH + TH SIZE: 3 / 10 MM
BPKS INTEGRATION RODILLA	42703-75-00	AUGMENTATION FEMUR DISTAL 10 MM POST. SC + RH + TH WITH COUNTER NUT SIZE: 3 / 10 MM
BPKS INTEGRATION RODILLA	42703-76	AUGMENTATION FEMUR POSTERIOR SC + RH + TH SIZE: 3 / 5 MM
BPKS INTEGRATION RODILLA	42703-76-00	AUGMENTATION FEMUR POSTERIOR SC + RH + TH WITH CLAMPING SCREW SIZE: 3 / 5 MM
BPKS INTEGRATION RODILLA	42703-77	AUGMENTATION FEMUR POSTERIOR SC + RH + TH SIZE: 3 / 10 MM
BPKS INTEGRATION RODILLA	42703-77-00	AUGMENTATION FEMUR POSTERIOR SC + RH + TH WITH CLAMPING SCREW SIZE: 3 / 10 MM
BPKS INTEGRATION RODILLA	42703-81	AUGMENTATION TIBIA SC + RH + TH SIZE: 3 / 5 MM
BPKS INTEGRATION RODILLA	42704-01	FEMUR COMPONENT SC CEMENTED SIZE: 4, LEFT
BPKS INTEGRATION RODILLA	42704-01-00	FEMUR COMPONENT RH + TH CEMENTED SIZE: 4, LEFT WITH COUPLING PIN NECK CLAMP SCREW HIPEREXTENSION STOP
BPKS INTEGRATION RODILLA	42704-01-10	FEMUR COMPONENT SC CEMENTED SIZE: 4, LEFT WITH CEMENT PROTECTION
BPKS INTEGRATION RODILLA	42704-01-11	CEMENT PROTECTION FEMORAL COMPONENT SC CEMENTED SIZE: 4
BPKS INTEGRATION RODILLA	42704-01-21	CEMENT PROTECTION FEMUR COMPONENT RH + TH CEMENTED SIZE: 4
BPKS INTEGRATION RODILLA	42704-02	TIBIA COMPONENT RH + TH CEMENTED SIZE: 4, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42704-03	COUPLING PIN NECK RH + TH SIZE: 4
BPKS INTEGRATION RODILLA	42704-06	AXIS LOCK SIZE: 3/, SIZES 4
BPKS INTEGRATION RODILLA	42704-07	PE-INSERT RH + TH SIZE: 4 / 7 MM
BPKS INTEGRATION RODILLA	42704-09	PE-INSERT RH + TH SIZE: 4 / 9 MM
BPKS INTEGRATION RODILLA	42704-11	PE-INSERT RH + TH SIZE: 4 / 11 MM
BPKS INTEGRATION RODILLA	42704-13	PE-INSERT RH + TH SIZE: 4 / 13 MM
BPKS INTEGRATION RODILLA	42704-15	PE-INSERT RH + TH SIZE: 4 / 15 MM
BPKS INTEGRATION RODILLA	42704-17	PE-INSERT RH + TH SIZE: 4 / 17 MM
BPKS INTEGRATION RODILLA	42704-19	PE-INSERT RH + TH SIZE: 4 / 19 MM
BPKS INTEGRATION RODILLA	42704-21	PE-INSERT RH + TH SIZE: 4 / 21 MM
BPKS INTEGRATION RODILLA	42704-23	PE-INSERT RH + TH SIZE: 4 / 23 MM
BPKS INTEGRATION RODILLA	42704-25	PE-INSERT RH + TH SIZE: 4 / 25 MM
BPKS INTEGRATION RODILLA	42704-52	ADAPTER 0° FEMUR SZ. 4 SC + RH + TH
BPKS INTEGRATION RODILLA	42704-52-00	ADAPTER 0° FEMUR SC + RH + TH WITH LOCK NUT SIZE: 4
BPKS INTEGRATION RODILLA	42704-53	OFFSET ADAPTER 4 MM FEMUR SIZE: 4 SC + RH + TH

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42704-53-00	OFFSET ADAPTER 4 MM FEMUR SIZE: 4 SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42704-54	ADAPTER 3° FEMUR SZ. 4 SC + RH + TH
BPKS INTEGRATION RODILLA	42704-54-00	ADAPTER 3° FEMUR SZ. 4 SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42704-61	HIPEREXTENSION STOP FOR FEMUR RH + TH SIZE: 4
BPKS INTEGRATION RODILLA	42704-71	AUGMENTATION FEMUR DISTAL SC + RH + TH SIZE: 4 / 5 MM
BPKS INTEGRATION RODILLA	42704-71-00	AUGMENTATION FEMUR SIZE: 4 / 5 MM DISTAL SC + RH + TH WITH CLAMP SCREW
BPKS INTEGRATION RODILLA	42704-72	AUGMENTATION FEMUR DISTAL SC + RH + TH SIZE: 4 / 10 MM
BPKS INTEGRATION RODILLA	42704-72-00	AUGMENTATION FEMUR DISTAL SC + RH + TH WITH COUNTER NUT SIZE: 4 / 10 MM
BPKS INTEGRATION RODILLA	42704-73	AUGMENTATION FEMUR DISTAL / 5 MM POSTERIOR SC + RH + TH SIZE: 4 / 10 MM
BPKS INTEGRATION RODILLA	42704-73-00	AUGMENTATION FEMUR DISTAL / 5 MM POSTERIOR SC + RH + TH WITH COUNTER NUT SIZE: 4 / 10 MM
BPKS INTEGRATION RODILLA	42704-74	AUGMENTATION FEMUR DISTAL / 10 MM POSTERIOR SC + RH + TH SIZE: 4 / 5 MM.
BPKS INTEGRATION RODILLA	42704-74-00	AUGMENTATION FEMUR DISTAL / 10 MM POSTERIOR SC + RH + TH WITH COUNTER NUT SIZE: 4 / 5 MM
BPKS INTEGRATION RODILLA	42704-75	AUGMENTATION FEMUR DISTAL 10 MM POSTERIOR SC + RH + TH SIZE: 4 / 10 MM
BPKS INTEGRATION RODILLA	42704-75-00	AUGMENTATION FEMUR DISTAL 10 MM POSTERIOR SC + RH + TH WITHCOUNTER NUT SIZE: 4 / 10 MM
BPKS INTEGRATION RODILLA	42704-76	AUGMENTATION FEMUR POSTERIOR SC + RH + TH SIZE: 4 / 5 MM
BPKS INTEGRATION RODILLA	42704-76-00	AUGMENTATION FEMUR POSTERIOR SC + RH + TH WITH CLAMPING SCREW SIZE: 4 / 5 MM
BPKS INTEGRATION RODILLA	42704-77	AUGMENTATION FEMUR POSTERIOR SC + RH + TH SIZE: 4 / 10 MM
BPKS INTEGRATION RODILLA	42704-77-00	AUGMENTATION FEMUR POSTERIOR SC + RH + TH WITH CLAMPING SCREW SIZE: 4 / 10 MM
BPKS INTEGRATION RODILLA	42704-81	AUGMENTATION TIBIA SC + RH + TH SIZE: 4 / 5 MM
BPKS INTEGRATION RODILLA	42705-01	FEMUR COMPONENT SC CEMENTED SIZE: 5, LEFT
BPKS INTEGRATION RODILLA	42705-01-00	FEMUR COMPONENT RH + TH CEMENTED SIZE: 5, LEFT WITH COUPLING PIN NECK CLAMP SCREW HIPEREXTENSION STOP
BPKS INTEGRATION RODILLA	42705-01-10	FEMUR COMPONENT SC CEMENTEDT SIZE: 5, LEFT WITH CEMENTPROTECTION
BPKS INTEGRATION RODILLA	42705-01-11	CEMENT PROTECTION FEMORAL COMPONENT SC CEMENTED SIZE: 5
BPKS INTEGRATION RODILLA	42705-01-21	CEMENT PROTECTION FEMUR COMPONENT RH + TH SIZE: 5

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42705-02	TIBIA COMPONENT RH + TH CEMENTED SIZE: 5, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42705-03	COUPLING PIN NECK RH + TH SZ 5
BPKS INTEGRATION RODILLA	42705-06	AXIS LOCK SIZE: 5
BPKS INTEGRATION RODILLA	42705-07	PE-INSERT RH + TH SIZE: 5 / 7 MM
BPKS INTEGRATION RODILLA	42705-09	PE-INSERT RH + TH SIZE: 5 / 9 MM
BPKS INTEGRATION RODILLA	42705-11	PE-INSERT RH + TH SIZE: 5 / 11 MM
BPKS INTEGRATION RODILLA	42705-13	PE-INSERT RH + TH SIZE: 5 / 13 MM
BPKS INTEGRATION RODILLA	42705-15	PE-INSERT RH + TH SIZE: 5 / 15 MM
BPKS INTEGRATION RODILLA	42705-17	PE-INSERT RH + TH SIZE: 5 / 17 MM
BPKS INTEGRATION RODILLA	42705-19	PE-INSERT RH + TH SIZE: 5 / 19 MM
BPKS INTEGRATION RODILLA	42705-21	PE-INSERT RH + TH SIZE: 5 / 21 MM
BPKS INTEGRATION RODILLA	42705-23	PE-INSERT RH + TH SIZE: 5 / 23 MM
BPKS INTEGRATION RODILLA	42705-25	PE-INSERT RH + TH SIZE: 5 / 25 MM
BPKS INTEGRATION RODILLA	42705-52	ADAPTER 0° FEMUR SZ. 5 SC + RH + TH
BPKS INTEGRATION RODILLA	42705-52-00	ADAPTER 0°FEMUR SC + RH + TH WITH LOCK NUT SZ. 5 SIZE:
BPKS INTEGRATION RODILLA	42705-53	OFFSET ADAPTER 4 MM FEMUR SZ. 5 SC + RH + TH
BPKS INTEGRATION RODILLA	42705-53-00	OFFSET ADAPTER4 MM FEMUR SZ. 5 SC + RH + TH WITH WITH LOCKNUT
BPKS INTEGRATION RODILLA	42705-54	ADAPTER 3° FEMUR SZ. 5 SC + RH + TH
BPKS INTEGRATION RODILLA	42705-54-00	ADAPTER 3° FEMUR SZ. 5 SC + RH + TH WITH LOCKNUT
BPKS INTEGRATION RODILLA	42705-61	HIPEREXTENSION STOP FOR FEMUR RH + TH SIZE: 5
BPKS INTEGRATION RODILLA	42705-71	AUGMENTATION FEMUR DISTAL SC + RH + TH SIZE: 5 / 5 MM
BPKS INTEGRATION RODILLA	42705-71-00	AUGMENTATION FEMUR SIZE: 5 / 5 MM DISTAL SC + RH + TH WITH CLAMP SCREW
BPKS INTEGRATION RODILLA	42705-72	AUGMENTATION FEMUR DISTAL SC + RH + TH SIZE: 5 / 10 MM
BPKS INTEGRATION RODILLA	42705-72-00	AUGMENTATION FEMUR DISTAL SC + RH + TH WITH COUNTER NUT SIZE: 5 / 10 MM
BPKS INTEGRATION RODILLA	42705-75	AUGMENTATION FEMUR DISTAL /10 MM POSTERIOR.SC + RH + TH SIZE: 5 / 10 MM
BPKS INTEGRATION RODILLA	42705-75-00	AUGMENTATION FEMUR DISTAL 10 MM POSERIORT.SC + RH + TH WITHCOUNTER NUT SIZE: 5 / 10 MM
BPKS INTEGRATION RODILLA	42705-76	AUGMENTATION FEMUR POSTERIOR SC + RH + TH SIZE: 5 / 5 MM
BPKS INTEGRATION RODILLA	42705-76-00	AUGMENTATION FEMUR POSTERIOR SC + RH + TH WITH CLAMPING SCREW, SZ 5/5 MM
BPKS INTEGRATION RODILLA	42705-77	AUGMENTATION FEMUR POSTERIOR SC + RH + TH SIZE: 5 / 10 MM
BPKS INTEGRATION RODILLA	42705-77-00	AUGMENTATION FEMUR POSTERIOR SC + RH + TH

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
		WITH CLAMPING SCREW SCREW SIZE: 5 / 10 MM
BPKS INTEGRATION RODILLA	42705-81	AUGMENTATION TIBIA SC + RH + TH SIZE: 5 / 5 MM
BPKS INTEGRATION RODILLA	42706-01	FEMUR COMPONENT SC CEMENTED SIZE: 6, LEFT
BPKS INTEGRATION RODILLA	42706-01-00	FEMUR COMPONENT RH + TH CEMENTED SIZE: 6, LEFT WITH COUPLING PIN NECK , CLAMP SCREW, HIPEREXTENSION STOP.
BPKS INTEGRATION RODILLA	42706-01-10	FEMUR COMPONENT SC CEMENTED SIZE: 6, LEFT WITH CEMENT PROTECTION
BPKS INTEGRATION RODILLA	42706-01-11	CEMENT PROTECTION FEMORAL COMPONENT SC CEMENTED SIZE: 6
BPKS INTEGRATION RODILLA	42706-01-21	CEMENT PROTECTION FEMUR COMPONENT RH + TH CEMENTED SIZE: 6
BPKS INTEGRATION RODILLA	42706-02	TIBIA COMPONENT RH + TH CEMENTED SIZE: 6, RIGHT/LEFT
BPKS INTEGRATION RODILLA	42706-03	COUPLING PIN NECK RH + TH SZ 6
BPKS INTEGRATION RODILLA	42706-06	AXIS LOCK SIZE: 6
BPKS INTEGRATION RODILLA	42706-07	PE-INSERT RH + TH SIZE: 6 / 7 MM
BPKS INTEGRATION RODILLA	42706-09	PE-INSERT RH + TH SIZE: 6 / 9 MM
BPKS INTEGRATION RODILLA	42706-11	PE-INSERT RH + TH SIZE: 6 / 11 MM
BPKS INTEGRATION RODILLA	42706-13	PE-INSERT RH + TH SIZE: 6 / 13 MM
BPKS INTEGRATION RODILLA	42706-15	PE-INSERT RH + TH SIZE: 6 / 15 MM
BPKS INTEGRATION RODILLA	42706-17	PE-INSERT RH + TH SIZE: 6 / 17 MM
BPKS INTEGRATION RODILLA	42706-19	PE-INSERT RH + TH SIZE: 6 / 19 MM
BPKS INTEGRATION RODILLA	42706-21	PE-INSERT RH + TH SIZE: 6 / 21 MM
BPKS INTEGRATION RODILLA	42706-23	PE-INSERT RH + TH SIZE: 6 / 23 MM
BPKS INTEGRATION RODILLA	42706-25	PE-INSERT RH + TH SIZE: 6 / 25 MM
BPKS INTEGRATION RODILLA	42706-52	ADAPTER 0° FEMUR SZ. 6 SC + RH + TH
BPKS INTEGRATION RODILLA	42706-52-00	ADAPTER 0° FEMUR SZ. 6 SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42706-53	OFFSET ADAPTER 4 MM FEMUR SZ. 6 SC + RH + TH
BPKS INTEGRATION RODILLA	42706-53-00	OFFSET ADAPTER 4 MM FEMUR SC + RH + TH WITH COUNTER NUT SZ. 6
BPKS INTEGRATION RODILLA	42706-54	ADAPTER 3° FEMUR SZ. 6 SC + RH + TH
BPKS INTEGRATION RODILLA	42706-54-00	ADAPTER 3° FEMUR SZ. 6 SC + RH + TH WITH LOCK NUT
BPKS INTEGRATION RODILLA	42706-61	HIPEREXTENSION STOP FOR FEMUR RH + TH SIZE: 6
BPKS INTEGRATION RODILLA	42706-71	AUGMENTATION FEMUR DISTAL SC + RH + TH SIZE: 6 / 5 MM
BPKS INTEGRATION RODILLA	42706-71-00	AUGMENTATION FEMUR SIZE: 6 / 5 MM DISTAL SC + RH + TH WITH CLAMP SCREW
BPKS INTEGRATION RODILLA	42706-72	AUGMENTATION FEMUR SC + RH + TH SIZE: 6 / 10 MM DISTAL
BPKS INTEGRATION RODILLA	42706-72-00	AUGMENTATION FEMUR DISTAL SC + RH + TH

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
		WITH COUNTER NUT SIZE: 6 / 10 MM
BPKS INTEGRATION RODILLA	42706-76	AUGMENTATION FEMUR POSTERIOR SC + RH + TH SIZE: 6 / 5 MM
BPKS INTEGRATION RODILLA	42706-76-00	AUGMENTATION FEMUR POSTERIOR SC + RH + TH WITH CLAMPING SCREW SZ 6/ 5MM
BPKS INTEGRATION RODILLA	42706-77	AUGMENTATION FEMUR POSTERIOR SC + RH + TH SIZE: 6 / 10 MM
BPKS INTEGRATION RODILLA	42706-77-00	AUGMENTATION FEMUR POSTERIOR SC + RH + TH WITH CLAMPING SCREW SIZE: 6 / 10 MM
BPKS INTEGRATION RODILLA	42706-81	AUGMENTATION TIBIA SC + RH + TH SIZE: 6 / 5 MM
BPKS INTEGRATION RODILLA	42707-81	AUGMENTATION TIBIA SC + RH + TH SIZE: 7 / 5 MM
BPKS INTEGRATION RODILLA	42708-81	AUGMENTATION TIBIA SC + RH + TH SIZE: 8 / 5 MM
BPKS INTEGRATION RODILLA	42710-31	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 10X40MM
BPKS INTEGRATION RODILLA	42710-32	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 10 X 80 MM
BPKS INTEGRATION RODILLA	42710-33	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 10 X 140 MM
BPKS INTEGRATION RODILLA	42712-31	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 12 X 40 MM
BPKS INTEGRATION RODILLA	42712-32	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 12 X 80 MM
BPKS INTEGRATION RODILLA	42712-33	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 12 X 140 MM
BPKS INTEGRATION RODILLA	42713-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 13 X 200 MM
BPKS INTEGRATION RODILLA	42713-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 13 X 200 MM WITH LOCKNUT WASHER
BPKS INTEGRATION RODILLA	42713-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 13 X 200 MM
BPKS INTEGRATION RODILLA	42713-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 13 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42713-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 13 X 140 MM
BPKS INTEGRATION RODILLA	42713-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 13 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42713-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 13 X 40 MM
BPKS INTEGRATION RODILLA	42713-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 13 X 80 MM
BPKS INTEGRATION RODILLA	42713-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 13 X 140 MM
BPKS INTEGRATION RODILLA	42714-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 14 X 200 MM
BPKS INTEGRATION RODILLA	42714-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 14 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42714-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 14 X 200 MM

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42714-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 14 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42714-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 14 X 140 MM
BPKS INTEGRATION RODILLA	42714-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 14 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42714-31	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 14 X 40 MM
BPKS INTEGRATION RODILLA	42714-32	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 14 X 80 MM
BPKS INTEGRATION RODILLA	42714-33	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 14 X 140 MM
BPKS INTEGRATION RODILLA	42714-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 14 X 40 MM
BPKS INTEGRATION RODILLA	42714-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 14 X 80 MM
BPKS INTEGRATION RODILLA	42714-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 14 X 140 MM
BPKS INTEGRATION RODILLA	42715-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 15 X 200 MM
BPKS INTEGRATION RODILLA	42715-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 15 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42715-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 15X200 MM
BPKS INTEGRATION RODILLA	42715-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 15 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42715-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 15 X 140 MM
BPKS INTEGRATION RODILLA	42715-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 15 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42715-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 15 X 40 MM
BPKS INTEGRATION RODILLA	42715-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 15 X 80 MM
BPKS INTEGRATION RODILLA	42715-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 15 X 140 MM
BPKS INTEGRATION RODILLA	42716-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 16 X 200 MM
BPKS INTEGRATION RODILLA	42716-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 16 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42716-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 16 X 200 MM
BPKS INTEGRATION RODILLA	42716-03-00	ANCHORING STEM CURVED CEMENTLESSSIZE: Ø 16 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42716-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 16 X 140 MM
BPKS INTEGRATION RODILLA	42716-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 16 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42716-31	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
		16 X 40 MM
BPKS INTEGRATION RODILLA	42716-32	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 16 X 80 MM
BPKS INTEGRATION RODILLA	42716-33	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 16 X 140 MM
BPKS INTEGRATION RODILLA	42716-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 16 X 40 MM
BPKS INTEGRATION RODILLA	42716-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 16 X 80 MM
BPKS INTEGRATION RODILLA	42716-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 16 X 140 MM
BPKS INTEGRATION RODILLA	42717-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 17 X 200 MM
BPKS INTEGRATION RODILLA	42717-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 17 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42717-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 17 X 200 MM
BPKS INTEGRATION RODILLA	42717-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 17 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42717-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 17 X 140 MM
BPKS INTEGRATION RODILLA	42717-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 17 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42717-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 17 X 40 MM
BPKS INTEGRATION RODILLA	42717-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 17 X 80 MM
BPKS INTEGRATION RODILLA	42717-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 17 X 140 MM
BPKS INTEGRATION RODILLA	42718-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 18 X 200 MM
BPKS INTEGRATION RODILLA	42718-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 18 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42718-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 18 X 200 MM
BPKS INTEGRATION RODILLA	42718-03-00	ANCHORING STEM CURVED CEMENTLESS WITH SIZE: Ø 18 X 200 MM LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42718-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 18 X 140 MM
BPKS INTEGRATION RODILLA	42718-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 18 X 140 MM WITH LOCK NUT WSAHER
BPKS INTEGRATION RODILLA	42718-31	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 18 X 40 MM
BPKS INTEGRATION RODILLA	42718-32	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 18 X 80 MM
BPKS INTEGRATION RODILLA	42718-33	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 18 X 140 MM
BPKS INTEGRATION RODILLA	42718-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 18 X 40 MM

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42718-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 18 X 80 MM
BPKS INTEGRATION RODILLA	42718-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 18 X 140 MM
BPKS INTEGRATION RODILLA	42719-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 19 X 200 MM
BPKS INTEGRATION RODILLA	42719-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 19 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42719-03	ANCHORING STEM CURVED, CEMENTLESS SZ.Ø19X200 MM
BPKS INTEGRATION RODILLA	42719-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 19 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42719-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 19 X 140 MM
BPKS INTEGRATION RODILLA	42719-04-00	ANCHORING STEM CURVED CEMENTLESSSIZE: Ø 19 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42719-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 19 X 40 MM
BPKS INTEGRATION RODILLA	42719-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 19 X 80 MM
BPKS INTEGRATION RODILLA	42719-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 19 X 140 MM
BPKS INTEGRATION RODILLA	42720-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 20 X 200 MM
BPKS INTEGRATION RODILLA	42720-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 20 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42720-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 20 X 200 MM
BPKS INTEGRATION RODILLA	42720-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 20 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42720-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 20 X 140 MM
BPKS INTEGRATION RODILLA	42720-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 20 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42720-31	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 20 X 40 MM
BPKS INTEGRATION RODILLA	42720-32	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 20 X 80 MM
BPKS INTEGRATION RODILLA	42720-33	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 20 X 140 MM
BPKS INTEGRATION RODILLA	42720-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 20 X 40 MM
BPKS INTEGRATION RODILLA	42720-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 20 X 80 MM
BPKS INTEGRATION RODILLA	42720-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 20 X 140 MM
BPKS INTEGRATION RODILLA	42721-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 21 X 200 MM
BPKS INTEGRATION RODILLA	42721-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE:

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
		Ø 21 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42721-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 21 X 200 MM
BPKS INTEGRATION RODILLA	42721-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 21 X 200 MM WITH LOCK NUT DISTANCE DISK
BPKS INTEGRATION RODILLA	42721-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 21 X 140 MM
BPKS INTEGRATION RODILLA	42721-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 21 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42721-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 21 X 40 MM
BPKS INTEGRATION RODILLA	42721-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 21 X 80 MM
BPKS INTEGRATION RODILLA	42721-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 21 X 140 MM
BPKS INTEGRATION RODILLA	42722-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 22 X 200 MM
BPKS INTEGRATION RODILLA	42722-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 22 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42722-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 22 X 200 MM
BPKS INTEGRATION RODILLA	42722-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 22 X 200 MM WITH LOCK NUT DISTANCE DISK
BPKS INTEGRATION RODILLA	42722-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 22 X 140 MM
BPKS INTEGRATION RODILLA	42722-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 22 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42722-31	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 22 X 40 MM
BPKS INTEGRATION RODILLA	42722-32	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 22 X 80 MM
BPKS INTEGRATION RODILLA	42722-33	ANCHORING STEM STRAIGHT CEMENTED SIZE: Ø 22 X 140 MM
BPKS INTEGRATION RODILLA	42722-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 22 X 40 MM
BPKS INTEGRATION RODILLA	42722-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 22 X 80 MM
BPKS INTEGRATION RODILLA	42722-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 22 X 140 MM
BPKS INTEGRATION RODILLA	42723-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 23 X 200 MM
BPKS INTEGRATION RODILLA	42723-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 23 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42723-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 23 X 200 MM
BPKS INTEGRATION RODILLA	42723-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 23 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42723-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 23 X 140 MM

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42723-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 23 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42723-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 23 X 40 MM
BPKS INTEGRATION RODILLA	42723-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 23 X 80 MM
BPKS INTEGRATION RODILLA	42723-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 23 X 140 MM
BPKS INTEGRATION RODILLA	42724-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 24 X 200 MM
BPKS INTEGRATION RODILLA	42724-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 24 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42724-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 24 X 200 MM
BPKS INTEGRATION RODILLA	42724-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 24 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42724-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 24 X 140 MM
BPKS INTEGRATION RODILLA	42724-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 24 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42724-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 24 X 40 MM
BPKS INTEGRATION RODILLA	42724-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 24 X 80 MM
BPKS INTEGRATION RODILLA	42724-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 24 X 140 MM
BPKS INTEGRATION RODILLA	42725-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 25 X 200 MM
BPKS INTEGRATION RODILLA	42725-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 25 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42725-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 25 X 200 MM
BPKS INTEGRATION RODILLA	42725-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 25 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42725-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 25 X 140 MM
BPKS INTEGRATION RODILLA	42725-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 25 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42725-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 25 X 40 MM
BPKS INTEGRATION RODILLA	42725-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 25 X 80 MM
BPKS INTEGRATION RODILLA	42725-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 25 X 140 MM
BPKS INTEGRATION RODILLA	42726-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 26 X 200 MM
BPKS INTEGRATION RODILLA	42726-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 26 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42726-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
		26 X 200 MM
BPKS INTEGRATION RODILLA	42726-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 26 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42726-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 26 X 140 MM
BPKS INTEGRATION RODILLA	42726-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 26 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42726-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 26 X 40 MM
BPKS INTEGRATION RODILLA	42726-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 26 X 80 MM
BPKS INTEGRATION RODILLA	42726-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 26 X 140 MM
BPKS INTEGRATION RODILLA	42727-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 27 X 200 MM
BPKS INTEGRATION RODILLA	42727-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 27 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42727-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 27 X 200 MM
BPKS INTEGRATION RODILLA	42727-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 27 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42727-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 27 X 140 MM
BPKS INTEGRATION RODILLA	42727-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 27 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42727-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 27 X 40 MM
BPKS INTEGRATION RODILLA	42727-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 27 X 80 MM
BPKS INTEGRATION RODILLA	42727-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 27 X 140 MM
BPKS INTEGRATION RODILLA	42728-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 28 X 200 MM
BPKS INTEGRATION RODILLA	42728-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 28 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42728-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 28 X 200 MM
BPKS INTEGRATION RODILLA	42728-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 28 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42728-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 28 X 140 MM
BPKS INTEGRATION RODILLA	42728-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 28 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42728-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 28 X 40 MM
BPKS INTEGRATION RODILLA	42728-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 28 X 80 MM
BPKS INTEGRATION RODILLA	42728-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 28 X 140 MM

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42729-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 29 X 200 MM
BPKS INTEGRATION RODILLA	42729-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 29 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42729-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 29 X 200 MM
BPKS INTEGRATION RODILLA	42729-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 29 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42729-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 29 X 140 MM
BPKS INTEGRATION RODILLA	42729-04-00	ANCHORING STEM CURVED CEMENTLESS WITH LOCK SIZE: Ø 29 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42729-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 29 X 40 MM
BPKS INTEGRATION RODILLA	42729-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 29 X 80 MM
BPKS INTEGRATION RODILLA	42729-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 29 X 140 MM
BPKS INTEGRATION RODILLA	42730-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 30 X 200 MM
BPKS INTEGRATION RODILLA	42730-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 30 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42730-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 30 X 200 MM
BPKS INTEGRATION RODILLA	42730-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 30 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42730-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 30 X 140 MM
BPKS INTEGRATION RODILLA	42730-04-00	ANCHORING STEM CURVED CEMENTLESS WITH LOCK SIZE: Ø 30 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42730-41	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 30 X 40 MM
BPKS INTEGRATION RODILLA	42730-42	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 30 X 80 MM
BPKS INTEGRATION RODILLA	42730-43	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 30 X 140 MM
BPKS INTEGRATION RODILLA	42731-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 31 X 200 MM
BPKS INTEGRATION RODILLA	42731-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 31 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42731-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 31 X 200 MM
BPKS INTEGRATION RODILLA	42731-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 31 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42731-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 31 X 140 MM
BPKS INTEGRATION RODILLA	42731-04-00	ANCHORING STEM CURVED, CEMENTLESS SZ.Ø

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
		31X140 MM WITH LOCKNUT, WASHER
BPKS INTEGRATION RODILLA	42732-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 32 X 200 MM
BPKS INTEGRATION RODILLA	42732-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 32 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42732-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 32 X 200 MM
BPKS INTEGRATION RODILLA	42732-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 32 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42732-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 32 X 140 MM
BPKS INTEGRATION RODILLA	42732-04-00	ANCHORING STEM CURVED CEMENTLESS WITH LOCK SIZE: Ø 32 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42733-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 33 X 200 MM
BPKS INTEGRATION RODILLA	42733-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 33 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42733-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 33 X 200 MM
BPKS INTEGRATION RODILLA	42733-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 33 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42733-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 33 X 140 MM
BPKS INTEGRATION RODILLA	42733-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 33 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42734-02	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 34 X 200 MM
BPKS INTEGRATION RODILLA	42734-02-00	ANCHORING STEM STRAIGHT CEMENTLESS SIZE: Ø 34 X 200 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42734-03	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 34 X 200 MM
BPKS INTEGRATION RODILLA	42734-03-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 34 X 200 MM WITH LOCK NUT AND DISTANCE DISK
BPKS INTEGRATION RODILLA	42734-04	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 34 X 140 MM
BPKS INTEGRATION RODILLA	42734-04-00	ANCHORING STEM CURVED CEMENTLESS SIZE: Ø 34 X 140 MM WITH LOCK NUT WASHER
BPKS INTEGRATION RODILLA	42803-01	FEMUR COMPONENT SC CEMENTED SIZE: 3, RIGHT
BPKS INTEGRATION RODILLA	42803-01-00	FEMUR COMPONENT RH + TH CEMENTED SIZE: 3, RIGHT WITH COUPLING PIN NECK, CLAMP SCREW, HIPEREXTENSION STOP
BPKS INTEGRATION RODILLA	42803-01-10	FEMUR COMPONENT SC CEMENTED SIZE: 3, RIGHT WITH CEMENT PROTECTION
BPKS INTEGRATION RODILLA	42804-01	FEMUR COMPONENT SC CEMENTED SIZE: 4, RIGHT
BPKS INTEGRATION RODILLA	42804-01-00	FEMUR COMPONENT RH + TH CEMENTED SIZE: 4, RIGHT WITH COUPLING PIN NECK, CLAMP SCREW, HIPEREXTENSION STOP

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

FAMILIA (SI APLICA)	CÓDIGO, MODELO O REFERENCIA (SI APLICA)	DESCRIPCIÓN (SI APLICA)
BPKS INTEGRATION RODILLA	42804-01-10	FEMUR COMPONENT SC CEMENTED SIZE: 4, RIGHT WITH CEMENT PROTECTION
BPKS INTEGRATION RODILLA	42805-01	FEMUR COMPONENT SC CEMENTED SIZE: 5, RIGHT
BPKS INTEGRATION RODILLA	42805-01-00	FEMUR COMPONENT RH + TH CEMENTED SIZE: 5, RIGHT WITH COUPLING PIN NECK, CLAMP SCREW, HIPEREXTENSION STOP
BPKS INTEGRATION RODILLA	42805-01-10	FEMUR COMPONENT SC CEMENTED SIZE: 5, RIGHT WITH CEMENT PROTECTION
BPKS INTEGRATION RODILLA	42806-01	FEMUR COMPONENT SC CEMENTED SIZE: 6, RIGHT
BPKS INTEGRATION RODILLA	42806-01-00	FEMUR COMPONENT RH + TH CEMENTED SIZE: 6, RIGHT WITH COUPLING PIN NECK, CLAMP SCREW, HIPEREXTENSION STOP
BPKS INTEGRATION RODILLA	42806-01-10	FEMUR COMPONENT SC CEMENTED SIZE: 6, RIGHT WITH CEMENT PROTECTION
KAM ARTRODESIS DE RODILLA	98180-00	KNEE ARTHRODESIS COUPLING MODULE TI6AL4V ACOPLE MODULAR
KAM ARTRODESIS DE RODILLA	98180-01	FEMORAL ARTHRODESIS HALF PIECES STRAIGHT TI6AL4V MEDIAS PIEZAS ARTRODESIS FEMORAL RECTA
KAM ARTRODESIS DE RODILLA	98180-02	TIBIA ARTHRODESIS HALF PIECES STRAIGHT TI6AL4V MEDIAS PIEZAS ARTRODESIS TIBIAL RECTA
KAM ARTRODESIS DE RODILLA	98180-03	SCREW M6 SHORT TI6AL4V TORNILLO M6 CORTO
KAM ARTRODESIS DE RODILLA	98180-04	SCREW Ø7 MM M7 SHORT TI6AL4V TORNILLO Ø 7MM M7
KAM ARTRODESIS DE RODILLA	98180-100	KNEE ARTHRODESIS COUPLING MODULE LEFT 6° LATERALIZED-ACOPLES PARA FIJACION MODULAR DE ARTRODESIS DE RODILLA IZQUIERDA 6° LATERALIZADA
KAM ARTRODESIS DE RODILLA	98180-101	FEMUR COUPLING MODULE LEFT TI6AL4V ACOPLE MODULAR FEMUR RODILLA IZQUIERDA
KAM ARTRODESIS DE RODILLA	98180-102	TIBIA COUPLING MODULE LEFT TI6AL4V ACOPLE MODULAR TIBIA RODILLA IZQUIERDA
KAM ARTRODESIS DE RODILLA	98180-200	KNEE ARTHRODESIS COUPLING MODULE RIGHT 6° LATERALIZED-ACOPLES PARA FIJACION MODULAR DE ARTRODESIS DE RODILLA DERECHA 6° LATERALIZADA
KAM ARTRODESIS DE RODILLA	98180-201	FEMUR COUPLING MODULE RIGHT TI6AL4V ACOPLE MODULAR FEMUR RODILLA DERECHA
KAM ARTRODESIS DE RODILLA	60912-11	ANCHORING STEM 12X140 MM STRAIGHT TI6AL4V TALLO DE ANCLAJE RECTO
KAM ARTRODESIS DE RODILLA	60912-12	ANCHORING STEM 12X200 MM STRAIGHT TI6AL4V TALLO DE ANCLAJE RECTO

VIDA UTIL:
EXPEDIENTE No.:
RADICACIÓN:
FECHA:

5 AÑOS
20011732
20191181592
17/09/2019



La salud
es de todos

Minsalud

República de Colombia
Ministerio de Salud y Protección Social
Instituto Nacional de Vigilancia de Medicamentos y Alimentos – INVIMA

RESOLUCIÓN No. 2021015469 DE 29 de Abril de 2021

Por la cual se concede LA RENOVACIÓN de un Registro Sanitario

La Directora Técnica de Dispositivos Médicos y otras Tecnologías DEL INSTITUTO NACIONAL DE VIGILANCIA DE MEDICAMENTOS Y ALIMENTOS - INVIMA, en ejercicio de las facultades legales, Decreto 2078 de 2012, Decreto 4725 de 2005 modificado por el Decreto 582 de 2017 y Ley 1437 de 2011.

ARTICULO SEGUNDO. - SE APRUEBAN las etiquetas del fabricante allegadas mediante radicado No. 20191181592 y etiqueta del importador aportadas mediante radicado No. 20191181592 del 01 de diciembre de 2020.

ARTÍCULO TERCERO. - AUTORIZAR AGOTAMIENTO DE EXISTENCIAS marcadas con el Registro Sanitario anterior No. INVIMA 2009DM-0005088.

ARTICULO CUARTO. - Contra la presente resolución procede únicamente el Recurso de Reposición, que deberá interponerse ante la Dirección de Dispositivos Médicos y Otras Tecnologías del INVIMA, dentro de los DIEZ (10) días siguientes a su notificación, en los términos señalados en el Código de Procedimiento Administrativo y de lo Contencioso Administrativo.

ARTÍCULO QUINTO. - La presente resolución rige a partir de la fecha de su expedición.

COMUNIQUESE, NOTIFIQUESE Y CUMPLASE

Dada en Bogotá D.C. a los 29 de Abril de 2021

Este espacio, hasta la firma se considera en blanco.

LUCIA AYALA RODRIGUEZ

DIRECTORA TECNICA DE DISPOSITIVOS MEDICOS Y OTRAS TECNOLOGIAS

Proyectó: Legal: sroncancioc, Técnico: dverar Revisó: cordina_varios