

## CERTIFICATE OF ANALYSIS

Date  
05-Jun-2018

Page  
1 of 3

### Creon 25000 50cap

Material  
**1072656**

Batch  
**56203**

Prod. date  
04.2018

Expiry date  
03.2021

Characteristic	Unit	Result	Specification
Appearance bi-coloured hard gelatin capsules size 0 with swedish-orange opaque cap and colourless transparent body filled with brownish pellets		complies	see characteristic
Ident.: Amylase (enzyme activity test)		positive ident.	Positive identification
Ident.: Lipase (enzyme activity test)		positive ident.	Positive identification
Ident.: Proteases (enzyme activity test)		positive ident.	Positive identification
Uniformity of dosage units (Mass varia.) L1 = 15.0% , L2 = 25.0% acceptance value = k*s and M=X(mean)		complies	complies to Ph.Eur.
Assay: Amylase	PhEurU/cps	26014	>= 18000
Assay: Lipase	PhEurU/cps	29061	26250 .. 41250
Assay: Proteases	PhEurU/cps	1657	>= 1000
Water content of pellets	%	3.0	<= 4.0
Residual solvents: Isopropyl alcohol	%	0.2	<= 0.5
Residual solvents: Acetone	%	0.4	<= 0.5
Dissolution within 30 min: Q = NLT 80 %		complies	complies to Ph.Eur.
Dissolution within 30 min: Mean value	%	114	---
Disintegration time (Water)	min.	4	<= 15
Total aerobic microbial count (TAMC)	cfu/g	< 100	<= 10000
Total combined yeast/moulds count (TYMC)	cfu/g	20	<= 100
Bile-tolerant gram-negative bacteria	/g	< 10	<= 100
Salmonella		absent / 10 g	absent / 10 g
Escherichia coli		absent / 1 g	absent / 1 g
Staphylococcus aureus		absent / 1 g	absent / 1 g

Date of manufacture (DD.MM.YYYY): 18.04.2018

**CERTIFICATE OF ANALYSIS**Date  
05-Jun-2018Page  
2 of 3**Creon 25000 50cap**Material  
**1072656**Batch  
**56203**Prod. date  
04.2018Expiry date  
03.2021**Analytical test methods listed in specification document (allocation number in SOLID see below):**

<b><u>Test</u></b>	<b><u>Test method</u></b>
Appearance	visual examination
Identification	Ph.Eur. / SOLID 0000082709
Uniformity of dosage units (mass variation)	Ph.Eur. 2.9.40
Assay	SOLID 0000082709
Water content of pellets	SOLID 0000082711
Residual solvents	P0000101
Dissolution test	SOLID 0000088309
Disintegration of capsule	Ph.Eur. 2.9.1
Total aerobic microbial count TAMC	Ph.Eur. 2.6.12
Total combined yeast/moulds count TYMC	Ph.Eur. 2.6.12
Bile-tolerant gram-negative bacteria	Ph.Eur. 2.6.13
Salmonella	Ph.Eur. 2.6.13
Escherichia coli	Ph.Eur. 2.6.13
Staphylococcus aureus	Ph.Eur. 2.6.13

The regulatory compliance regards the following countries:

Chile	RegN° F-14796/15	SpecN° SOLID 0000104709 Version 1.0
-------	---------------------	--

**CERTIFICATE OF ANALYSIS**Date  
05-Jun-2018Page  
3 of 3**Creon 25000 50cap**Material  
**1072656**Batch  
**56203**Prod. date  
04.2018Expiry date  
03.2021**CERTIFICATE OF CONFORMITY**Importing country: see page 2  
Marketing Authorization No.: see page 2Strength/potency: Each capsule contains 300 mg Pancreatin as API  
corresponding to not less than:  
Lipase 25,000 Ph.Eur. units  
Amylase 18,000 Ph.Eur. units  
Proteases 1,000 Ph.Eur. unitsDosage form: Hard gelatin capsule with 499 mg enteric-coated pellets  
Package size: 50 capsules  
Package type: HDPE bottle with PP cap in a folding carton boxName/address of manufacturer:  
Abbott Laboratories GmbH  
Werk Neustadt  
Justus-von-Liebig-Str. 33  
D-31535 Neustadt a. Rbge.  
Germany  
Manufacturer's License Number: DE\_NI\_02\_MIA\_2016\_0007/41401/H-144  
Certificate of GMP Compliance: DE\_NI\_02\_GMP\_2016\_0001Results of Analysis: see page 1  
Test methods: see page 2  
Comments: N/A

I hereby certify that the above information is authentic and accurate. This batch of product has been manufactured, including packaging/labelling and quality control at the above mentioned site in full compliance with the GMP requirements of the local Regulatory Authority and with the specifications in the Marketing Authorisation of the importing country. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

This certificate was generated by a validated system and signed electronically.

05.06.2018 / 13:45:29 CET e-sign: David Schwarzer, Qualified Person,  
Certificate checked and approved