



杭州海关技术中心
国家危险化学品检测重点实验室（浙江）



电话 (Tel): 0571 8352 7220

传真 (Fax): 0571 8352 7219

邮编 (Post code): 311215

地址 (Add.): 中国杭州市萧山区建设三路 398 号

正本/ORIGIN

编号: TCH24008208

No: TCH24008208

日期: 2024-04-25

Date: 2024-04-25

ZAIQ-RF(HH)-01-19

Safety Data Sheet

扫描查看在线报告



Applicant name: ZHEJIANG JINGHUI COSMETICS SHARE CO., LTD.

Product Name: PERFUME

Edit date: 2024-04-25

Edit institution: Technology Center of Hangzhou Customs District

Approver:

万旺军

1. Unless other wise stated, this test report is only responsible for the sample(s).
2. This test report can not be reproduced,except in full,without prior written permission of the lab.



杭州海关技术中心
国家危险化学品检测重点实验室（浙江）



电话 (Tel): 0571 8352 7220
传真 (Fax): 0571 8352 7219
邮编 (Post code): 311215
地址 (Add.): 中国杭州市萧山区建设三路 398 号

正本/ORIGIN

编号: TCH24008208
No: TCH24008208
日期: 2024-04-25
Date: 2024-04-25

ZAIQ-RF(HH)-01-19

声 明

DECLARATION

1. 本报告中检测结果仅对样品负责。

The result in this test report is only valid for the tested samples.

2. 本报告无授权人签字、未加盖本机构报告专用章无效。

This report is invalid without authorized signature or the stamp of this organization.

3. 对本报告中检测数据如有异议，请在收到报告后十五天内提出复测申请（部分特殊项目不能复测）。复测以原样为准，复测维持原结论时，由申请方承担复测费。

If there is any dissidence to the test data, the entrusting party shall apply for retesting within 15 days upon receiving this report (Some special item can not be retested). The former tested samples will be used as the retested ones. If the retest results are the same as the former ones, the retest fee will be paid by the entrusting party.

4. 本报告各页均为报告不可分割部分，使用者部分使用检测报告而导致误解或由此造成后果，本机构不承担任何责任。

This report shall be used in integrity. This organization will not be responsible for any misleading caused by the content of this report.

1. Identification of substance

Product Name	PERFUME
Trade Name	None
Chemical Name	None
Recommended Use	Used for the body, playing a role in increasing fragrance and pleasant mood.
Manufacturer	ZHEJIANG JINGHUI COSMETICS SHARE CO., LTD.
Address	NO. 8 ANSHANG ROAD, NIAN SAN LI STREET, YIWU CITY, ZHEJIANG PROVINCE, CHINA /322000
Phone Number	+86-0579-85555388
Fax Number	+86-0579-85032753
WEB or E-mail	None
Emergency Phone Number	+86-15857926988 or call your nearest poison control centre

2. Hazards identification

GHS classification	Flammable liquids 2 Skin corrosion/irritation 3 Sensitisation-skin 1 Hazardous to the aquatic environment, long-term hazard 3
GHS Pictograms	
Signal words	Danger
Hazard statements	H225:Highly flammable liquid and vapour H316:Causes mild skin irritation H317:May cause an allergic skin reaction H412:Harmful to aquatic life with long lasting effects
Precautionary Statement Prevention	P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233:Keep container tightly closed. P240:Ground and bond container and receiving equipment. P241:Use explosion-proof electrical/ventilating/lighting/.../equipment. P242:Use non-sparking tools. P243:Take action to prevent static discharges. P261:Avoid breathing dust/fume/gas/mist/vapours/spray. P272:Contaminated work clothing should not be allowed out of the work place. P273:Avoid release to the environment. P280:Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Precautionary Statement Response	P302+P352:IF ON SKIN: Wash with plenty of water/... P303+P361+P353:IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water[or shower]. P321:Specific treatment (see the supplemental first aid instruction). P332+P317:If skin irritation occurs:Get medical help. P333+P317:If skin irritation or rash occurs: Get medical help. P362+P364:Take off contaminated clothing and wash it before reuse. P370+P378:In case of fire, use appropriate media to extinguish.
Precautionary Statement Storage	P403+P235:Store in a well-ventilated place. Keep cool.
Precautionary Statement Disposal	P501:Dispose of contents/container in according with local regulation.
Other hazards which do not result in classification	Not available.

3. Composition/information on ingredients

☐ **Substances**

☒ **Mixtures**

Component Information

Component	CAS number	EINECS number	Mass(%wt)
Ethanol	64-17-5	200-578-6	80
Water	7732-18-5	231-791-2	14
Fragrance	—	—	6

Note: 1. Unless a component presents a severe hazard, it does not need to be considered in the SDS if the concentration is less than 1%.

4.First-aid measures

NOTE TO PHYSICIAN	In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
After inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Get immediate medical attention.
After skin contact	Immediately flush skin with plenty of water. Remove and isolate contaminated clothing and shoes. If irritation persists, get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse.
After eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), Assure adequate flushing of the eyes by separating the eyelids with fingers. Get medical attention immediately.
After ingestion	Rinse mouth. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce

Most important symptoms/effects, acute and delayed

risk of aspiration. Loosen tight clothing such as a collar, tie, belt or waistband. Do not use mouth-to-mouth method if victim ingested the substance. Seek immediate medical attention. Causes mild skin irritation. May cause an allergic skin reaction. Ethanol is a central nervous system inhibitor. Firstly, it arouses excitement, followed by inhibition. Acute poisoning: mainly seen in individuals who drink excessively, occupational poisoning is rare. Mild poisoning and early symptoms of poisoning include excitement, excitement, increased speech, flushed or pale face, unstable gait, mild motor incoordination, impaired judgment, incoherent speech, nystagmus, and even drowsiness. Severe poisoning can result in coma, shallow breathing, or tidal breathing, and death due to respiratory paralysis or circulatory failure. Inhaling high concentrations of Ethanol vapor can cause symptoms such as drunkenness, dizziness, fatigue, excitement, and mild irritation to the mucous membranes of the eyes and upper respiratory tract, but generally does not cause serious poisoning. Chronic poisoning: Long term alcoholics may exhibit facial capillary dilation, skin nutritional disorders, chronic gastritis, gastric ulcers, hepatitis, cirrhosis, liver failure, myocardial damage, myopathy, and multiple neurological disorders. Long term repeated contact with Ethanol liquid on the skin can cause local dryness, peeling, cracked skin, and dermatitis.

5. Fire-fighting measures

Suitable extinguishing agents

Water spray, alcohol-resistant foam, carbon dioxide, dry chemical powder, sandy soil. Water spray can be used to cool unopened containers.

Special hazards caused by the material, its products of combustion or flue gases

Flammable liquid and vapour. Vapour/air mixtures are explosive. The decomposition products depend on temperature, air supply and other substances. Decomposition products may include but are not limited to: carbon oxides, irritating and toxic fumes and gases.

Protective equipment for fire-fighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

6. Accidental release measures

Person-related safety precautions

Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Ventilate closed spaces before entering. Keep unnecessary personnel away.

Measures for environmental protection	Prevent further leakage or spillage if safe to do so. Do not allow material to be released to the environment without proper governmental permits.
Measures for cleaning/collecting	Minor leakage: Absorb with sand or other noncombustible materials. Use clean, spark free tools to collect absorbing materials. Large amount of leakage: Build embankments or dig pits for containment. Cover with insoluble foam to reduce evaporation. Spray mist can reduce evaporation, but it cannot reduce the flammability of leaked materials in limited spaces. Transfer to the tank truck or dedicated collector using an explosion-proof pump. Spray water to disperse steam and dilute liquid leakage.
Additional information	See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7. Handling and storage

Handling	
Information for safe handling	Avoid breathing dust/fume/gas/mist/vapours/spray. Keep out of reach of children. Do not spray directly towards face. In case of insufficient ventilation, wear suitable respiratory equipment.
Information about protection against explosions and fires	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take measures to prevent the build up of electrostatic charge. Use only non-sparking mechanical equipment and tools.
STORAGE	
Requirements to be met by storerooms and containers	Keep in a cool, dry, well-ventilated place. Keep tightly closed until used. Use of explosion-proof lighting, ventilation facilities.
Information about storage in one common storage facility	Store away from incompatible substances such as strong oxidants, acids, anhydrides, alkali metals, amines, etc.
Further information about storage conditions	Storage area should be equipped with appropriate variety and quantity of fire equipment, emergency treatment equipments and suitable materials for leakage.

8. Exposure controls/personal protection

Limit Values for Exposure					
Component	CAS number	ACGIH TLV-TWA	ACGIH TLV-STEL	NIOSH REL-TWA	NIOSH REL-STEL
Ethanol	64-17-5	N.E.	1000 ppm	1000 ppm	N.E.
Water	7732-18-5	N.E.	N.E.	N.E.	N.E.
Fragrance	—	—	—	—	—

Appropriate engineering controls	Use adequate ventilation to keep airborne concentrations low.
General protective and hygienic measures	Provide safety shower and eyewash facility. Do not get this material in contact with eyes. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Personal protective equipment	Splash goggles, gloves, protective clothing and a vapor respirator.
Breathing equipment	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Protection of hands	Wear appropriate chemical resistant gloves.
Eye/Face protection	Use safety glasses with side shields or safety goggles as mechanical barrier for prolonged exposure.
Body protection	Full set of anti chemical reagent overalls, flame retardant antistatic protective clothing, choose body protection according to the amount and concentration of the dangerous substance at the work place.

Note: 1. N.E. not established.

9. Physical and chemical properties

Physical state	Transparent liquid
Colour	Colorless
Odour	No data available
Melting point/freezing point	No data available
Boiling point or initial boiling point and boiling range	>35 °C
Flammability	Flammable
Lower and upper explosion limit/ flammability limit	No data available
Flash point	20.0 °C (Closed cup)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Kinematic viscosity	No data available
Solubility	No data available
Partition coefficient: n-octanol/water(log value)	No data available
Vapour pressure	No data available
Density and/or relative density	No data available
Relative vapour density (air=1)	No data available

Particle characteristics	Not applicable
10. Stability and reactivity	
Reactivity	Ethanol reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No data available.
Conditions to avoid (e.g. static discharge, shock or vibration)	Heat and flame and spark. The extreme temperatures and direct sunlight. Static discharge.
Incompatible materials	Avoid contact with strong oxidants, acids, anhydrides, alkali metals, amines, etc.
Hazardous decomposition products	carbon oxides, irritating and toxic fumes and gases.
11. Toxicological information	
This product is a preparation for which no toxicological data exists. When available, toxicological data for the product's hazardous ingredients are provided below. Routes of Entry: Dermal contact, eye contact, inhalation, ingestion.	
Acute Toxicity	
Ethanol (CAS 64-17-5)	LD50 (Oral, rat): 10470 mg/kg LC50 (Inhalation, rat): 124.7 mg/L (4 h) LD50 (Dermal, rabbit): N/A
Skin corrosion/Irritation	Causes mild skin irritation.
Serious damage/irritation	eye Not classified
Respiratory sensitization	or skin May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Chronic Effects	Not classified
Further Information	None
12. Ecological information	
Ecotoxicity	
Aquatic Toxicity	Ethanol (CAS 64-17-5) Test & Species 96 Hr LC50 fish: 14200 mg/l 48 Hr EC50 Daphnia: 9268 mg/l

72 Hr EC50 Algae: 275 mg/l

Persistence and degradability	Biodegradable
Bioaccumulative potential	Not available
Mobility in soil	Not available
Additional Information	Harmful to aquatic life with long lasting effects.

13. Disposal considerations

WASTE DISPOSAL INSTRUCTIONS

Contact a qualified professional waste disposal service to dispose of this material.
 Dispose of in accordance with local environmental regulations or local authority requirements.

14. Transport information

The Recommendation of Transport of Dangerous Goods(TDG)

UN Number	UN 1266
Proper Shipping Name	PERFUMERY PRODUCTS with flammable solvents
Class/Division	Class 3 Flammable Liquids
Package Group	PG II
Subsidiary risk	—
labelling pictogram	



Maritime transport IMDG	Being same with TDG
	Marine pollutant (Yes/No): No
Air transport ICAO-TI and IATA-DGR	Being same with TDG

15. Regulatory information

European/International Regulations

OSHA:	Hazardous by definition of Hazard Communication Standard (29CFR 1910.1200).
EINECS Status:	The main components of this chemical (except Fragrance) are included in EINECS inventory.
EPA TSCA Status:	The main components of this chemical (except Fragrance) are included in TSCA inventory.
Canadian DSL(Domestic Substances List):	The main components of this chemical (except Fragrance) are included in DSL.
HMIS(Hazardous Material Identification	Health: 1 Flammability: 3

System Ratings):	Physical hazard: 0 Personal protection: G (4. Severe Hazard; 3. Serious Hazard; 2. Moderate Hazard; 1. Slight Hazard; 0. Minimal Hazard)
WHMIS (Canadian Workplace Hazardous Material Identification System Ratings):	B2, D2B(Ethanol)
GB 12268-2012 List of dangerous goods	This product is a dangerous goods on the GB 12268-2012 list of dangerous goods.

16. other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This Material Safety Data Sheet was based on the "Globally Harmonized System of Classification and Labelling of Chemicals", "Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations", "INTERNATIONAL MARITIME DANGEROUS GOODS CODE", "International Air Transport Association Dangerous Goods Regulations", the National Standards and other related dangerous chemicals management laws, regulations and standards, which are periodically updated and changed. To make dangerous goods / hazardous chemicals comply with the relevant requirements of the latest management, regularly update is recommended.

This Material Safety Data Sheet has been compiled in both English and Chinese. For any discrepancies, the Chinese version shall prevail.

Abbreviations and acronyms	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulations Concerning the International Transport of Dangerous Goods by Rail IMDG: International Maritime Code for Dangerous Goods IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent EC50: Effective concentration, 50 percent
----------------------------	---

Edit Date 25.04.2024

Update and Revise Original edition

Edit Standard	<i>Globally Harmonized System of Classification and Labelling of Chemicals</i> Part 1.5
Revised Institution	Technology Center of Hangzhou Customs District