

ANALYSIS REPORT

Purpose of Analysis : Private Request	Report Number : BT-2024-003846
Sample requested by:	Date and Time of Report : 28.06.2024 14:50
Sample Detail:	
Name : EVLY PHARMA COSMETICS-The Purest Solutions	Name : Daily Barrier & UV Protection
Address : Şerifali Mah. Söyleşi Sok. No:41/A Ümraniye /İSTANBUL	Qty/Pcs - Temp. (C) : 60 g
Authorized Person :	Packing : Company Packaging
Phone/Fax :	Date of Prod./Exp. : 05/2024 - 05/2027
Sender : EVLY PHARMA COSMETICS-The Purest Solutions	Lot Number : - 001/2
Manufacturer : EVLY PHARMA COSMETICS-The Purest	Brand :
Offerr No :	Date Received : 25.06.2024
	Date Started : 25.06.2024
	Date Finished : 28.06.2024

RESULT

Name of Analysis	Result	Unit	U	Rec.	LOQ	LVS	D.R.	Reference Ranges	Method/s	Conformity
Arsenic	<0,01	mg/kg			<0,01	3		< 5	In House Metot	Passed
Lead	<0,01	mg/kg			<0,01	3		< 20	In House Metot	Passed
Cadmium	<0,01	mg/kg			<0,01	3		< 5	In House Metot	Passed
Mercury	<0,01	mg/kg			<0,01	3		< 1	In House Metot	Passed
Antimony	<0,01	mg/kg			<0,01	3		< 10	In House Metot	Passed
Color and Physical Condition Detection *	Suitable.	-				2		It should have its own characteristics	TS EN ISO 5492	Passed
Allergen Screening										
D-Limonene (cas no: 5989-27-5)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Evernia Prunastri (OAKMOSS) Extract (cas no:90028-68-5)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
7-Hydroxycitronellal (cas no:107-75-5)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Cinnamaldehyde (cas no: 104-55-2)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Eugenol (cas no:97-53-0)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Isoeugenol (cas no:97-54-1)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Amyl cinnamal (cas no: 122-40-7)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed

*** Analysis marked with *** are within the scope of accreditation.

- BIYOTEST Laboratory and Consulting Services Ltd., which operates as an Analysis laboratory. Şti. is accredited by TURKAK according to AB-1804-T and TS EN ISO/IEC 17025 standard. The Turkish Accreditation Agency (TURKAK) has signed a Multilateral Agreement with the European Accreditation Association (EA) and a mutual recognition agreement with the International Laboratory Accreditation Association (ILAC) on the recognition of test reports.
- The results of the Analysis are valid for the above-mentioned sample sent to the laboratory by the company/institution/individual.
- Descriptive information in the test report that affects the validity of the results has been declared by the customer. Our laboratory is not responsible for any losses/legal obligations that may occur due to the accuracy and use of this information.
- No part of this test report can be used alone or separately, can not be copied, reproduced or published in whole or in part without the written permission of the laboratory.
- This report cannot be used for advertising purposes, unsigned and unsealed reports are invalid.

Page 1 / 4

13.09.2021

P03-T08-F01/

Rev.02/15.12.2022

ANALYSIS REPORT

Purpose of Analysis : Private Request	Report Number : BT-2024-003846
Sample requested by:	Date and Time of Report : 28.06.2024 14:50
Sample Detail:	
Name : EVLY PHARMA COSMETICS-The Purest Solutions	Name : Daily Barrier & UV Protection
Address : Şerifali Mah. Söyleşi Sok. No:41/A Ümraniye /İSTANBUL	Qty/Pcs - Temp. (C) : 60 g
Authorized Person :	Packing : Company Packaging
Phone/Fax :	Date of Prod./Exp. : 05/2024 - 05/2027
Sender : EVLY PHARMA COSMETICS-The Purest Solutions	Lot Number : - 001/2
Manufacturer : EVLY PHARMA COSMETICS-The Purest	Brand :
Offerr No :	Date Received : 25.06.2024
	Date Started : 25.06.2024
	Date Finished : 28.06.2024

Name of Analysis	Result	Unit	U	Rec.	LOQ	LVS	D.R.	Reference Ranges	Method/s	Conformity
Farnesol (cas no:4602-84-0)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Alfa-Hexylcinnamaldehyde (cas no:101-86-0)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Benzyl Alcohol (cas no:100-51-6)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Anisyl Alcohol (cas no:105-13-5)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Lyril (cas no:31906-04-4)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Coumarin (cas no:91-64-5)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Benzyl Benzoate (cas no:120-51-4)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Benzyl Salicylate (cas no:118-58-1)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Benzyl Cinnamate (cas no:103-41-3)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Lilial (Butylphenyl methylpropional) (cas no:80-54-6)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Linalool (cas no:78-70-6)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Cinnamyl Alcohol (cas no:104-54-1)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed

*** Analysis marked with *** are within the scope of accreditation.

- BIYOTEST Laboratory and Consulting Services Ltd., which operates as an Analysis laboratory. Şti. is accredited by TURKAK according to AB-1804-T and TS EN ISO/IEC 17025 standard. The Turkish Accreditation Agency (TURKAK) has signed a Multilateral Agreement with the European Accreditation Association (EA) and a mutual recognition agreement with the International Laboratory Accreditation Association (ILAC) on the recognition of test reports.
- The results of the Analysis are valid for the above-mentioned sample sent to the laboratory by the company/institution/individual.
- Descriptive information in the test report that affects the validity of the results has been declared by the customer. Our laboratory is not responsible for any losses/legal obligations that may occur due to the accuracy and use of this information.
- No part of this test report can be used alone or separately, can not be copied, reproduced or published in whole or in part without the written permission of the laboratory.
- This report cannot be used for advertising purposes, unsigned and unsealed reports are invalid.

Page 2 / 4

13.09.2021

P03-T08-F01/

Rev.02/15.12.2022

ANALYSIS REPORT

Purpose of Analysis : Private Request	Report Number : BT-2024-003846
Sample requested by:	Date and Time of Report : 28.06.2024 14:50
Sample Detail:	
Name : EVLY PHARMA COSMETICS-The Purest Solutions	Name : Daily Barrier & UV Protection
Address : Şerifali Mah. Söyleşi Sok. No:41/A Ümraniye /İSTANBUL	Qty/Pcs - Temp. (C) : 60 g
Authorized Person :	Packing : Company Packaging
Phone/Fax :	Date of Prod./Exp. : 05/2024 - 05/2027
Sender : EVLY PHARMA COSMETICS-The Purest Solutions	Lot Number : - 001/2
Manufacturer : EVLY PHARMA COSMETICS-The Purest	Brand :
Offerr No :	Date Received : 25.06.2024
	Date Started : 25.06.2024
	Date Finished : 28.06.2024

Name of Analysis	Result	Unit	U	Rec.	LOQ	LVS	D.R.	Reference Ranges	Method/s	Conformity
Evernia Furfuracea (TREEMOSS) (cas no:90028-67-4)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Amylcinnamyl Alcohol (Cas. No:101-85-9)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Methyl 2-Octynoate (cas no:111-12-6)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Citral (cas no:5392-40-5)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Citronellol (cas no:106-22-9)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Geraniol (cas no:106-24-1)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed
Alpha-Isomethyl Ionone (cas no:127-51-5)	Not Detected.	%			0,0001	1		Should not be	In House Metot	Passed

DESCRIPTION

DECISION RULE (D.R.)

Limit Value Source (LVS)

- 1 - Evaluation has been made according to the specifications regarding the "does not contain" claims on the customer label.
- 2 - Evaluated according to product specification.
- 3 - Compliance has been evaluated according to the Pharmaceuticals and Medical Devices Agency Guideline on Heavy Metal Impurities in Cosmetic Products.

U. Uncertainty of Measurement

Rec. Recovery

LOQ. Limit of Quantification

- When the conformity assessment regarding the test results is given, the regulations, standards, specifications, contracts, etc., if any. The decision rule specified in the documents is used. If there is no decision rule specified in the legislation, the Simple Decision Rule is applied without considering the measurement uncertainty.

-The uncertainties specified in the report are k=2, expanded uncertainty at the 95% confidence interval.

-The results are valid as the sample is received and we are not responsible for the sampling phase. The laboratory cannot be held responsible for the information given by the customer.

*** Analysis marked with *** are within the scope of accreditation.

1. BiYOTEST Laboratory and Consulting Services Ltd., which operates as an Analysis laboratory. Şti. is accredited by TURKAK according to AB-1804-T and TS EN ISO/IEC 17025 standard. The Turkish Accreditation Agency (TURKAK) has signed a Multilateral Agreement with the European Accreditation Association (EA) and a mutual recognition agreement with the International Laboratory Accreditation Association (ILAC) on the recognition of test reports.
2. The results of the Analysis are valid for the above-mentioned sample sent to the laboratory by the company/institution/individual.
3. Descriptive information in the test report that affects the validity of the results has been declared by the customer. Our laboratory is not responsible for any losses/legal obligations that may occur due to the accuracy and use of this information.
4. No part of this test report can be used alone or separately, can not be copied, reproduced or published in whole or in part without the written permission of the laboratory.
5. This report cannot be used for advertising purposes, unsigned and unsealed reports are invalid.

AB-1804-T

BT-2024-003846

06.24

ANALYSIS REPORT

Purpose of Analysis : Private Request	Report Number : BT-2024-003846
Sample requested by:	Date and Time of Report : 28.06.2024 14:50
Sample Detail:	
Name : EVLY PHARMA COSMETICS-The Purest Solutions	Name : Daily Barrier & UV Protection
Address : Şerifali Mah. Söyleşi Sok. No:41/A Ümraniye /İSTANBUL	Qty/Pcs - Temp. (C) : 60 g
Authorized Person :	Packing : Company Packaging
Phone/Fax :	Date of Prod./Exp. : 05/2024 - 05/2027
Sender : EVLY PHARMA COSMETICS-The Purest Solutions	Lot Number : - 001/2
Manufacturer : EVLY PHARMA COSMETICS-The Purest	Brand :
Offerr No :	Date Received : 25.06.2024
	Date Started : 25.06.2024
	Date Finished : 28.06.2024

REVISION INFORMATION

:

Tuğba ÖZKAN

**Head of Sample Submission and
Reporting Department**

BIYOTEST LABORATUVARLARI VE
DANIŞMANLIK HİZMETLERİ LTD. ŞTİ.
Gümüşpala Mah. Kaynata Sok. No:2 Kat:6
Avcılar / İSTANBUL
Avcılar V.D. 781549767

Approved
28.06.2024 14:50
Sema YUMAK
Biologist
Manager Of Laboratory

*** Analysis marked with *** are within the scope of accreditation.

- BIYOTEST Laboratory and Consulting Services Ltd., which operates as an Analysis laboratory, Şti. is accredited by TÜRKAK according to AB-1804-T and TS EN ISO/IEC 17025 standard. The Turkish Accreditation Agency (TÜRKAK) has signed a Multilateral Agreement with the European Accreditation Association (EA) and a mutual recognition agreement with the International Laboratory Accreditation Association (ILAC) on the recognition of test reports.
- The results of the Analysis are valid for the above-mentioned sample sent to the laboratory by the company/institution/individual.
- Descriptive information in the test report that affects the validity of the results has been declared by the customer. Our laboratory is not responsible for any losses/legal obligations that may occur due to the accuracy and use of this information.
- No part of this test report can be used alone or separately, can not be copied, reproduced or published in whole or in part without the written permission of the laboratory.
- This report cannot be used for advertising purposes, unsigned and unsealed reports are invalid.

Page 4 / 4
13.09.2021
P03-T08-F01/
Rev.02/15.12.2022