



义乌市妮妃化妆品有限公司

YIWU NIFEI COSMETICS CO., LTD.

地址: 浙江义乌市上溪工业园区

Add: NO 20 JUXIAN ROAD ,SHANGXI TOWN ,YI WU CITY ,ZHEJIANG PROVINCE ,CHINA

## Analysis certificate

Products name: NES798 Cosmetics sets (Eyeshadow)

Finnish product name: Spring Natural, Make up set, Eyeshadow

Customer name: F080

Date: 2018.05.07

Production batch: CS110718

Elaboration date: 05/07/2018

PREREQUISITES :

1. The product sample is requested and collected directly from Lab.
2. Random samples are collected .

BULK (Mass)

TEST ITEMS	SPECIFICATIONS	TEST RESULTS	REMARKS
1. PHYSICAL-CHEMICAL TEST			
Appearance	In accordance with sample	SAME AS SAMPLE	---
Color	In accordance with sample	SAME AS SAMPLE	---
Odor	In accordance with sample	SAME AS SAMPLE	---



# 义乌市妮妃化妆品有限公司

YIWU NIFEI COSMETICS CO., LTD.

地址: 浙江义乌市上溪工业园区

Add: NO 20 JUXIAN ROAD ,SHANGXI TOWN ,YI WU CITY ,ZHEJIANG PROVINCE ,CHINA

TEST ITEMS	SPECIFICATIONS	TEST RESULTS	REMARKS
2. STABILITY TEST Stability tests are carried out for base formula of each product.( At 12weeks duration)			
Heat resistance	48±1°C 12weeks , Recover room temperature normal	No change	---
Low temperature resistance	-15±1°C 12weeks, Recover room temperature normal	No change	---
UV LIGHT WAVE	Ambient Temperature20-27°C	No change	---

## 3.MICROBIOLOGICAL TEST

Total aerobic microbial counts	75cfu/g(ml)	PASS	---
Total combined molds and yeast counts	< 10cfu/g(ml)	PASS	---
Fecal coliform	Not-Detected	PASS	---
Pseudomonas aeruginosa	Not-Detected	PASS	---
Staphylococcus aureus	Not-Detected	PASS	---
E.colli	Not-Detected	PASS	---
Salmonella	Not-Detected	PASS	---

*Handwritten signature*



# 义乌市妮妃化妆品有限公司

YIWU NIFEI COSMETICS CO., LTD.

地址: 浙江义乌市上溪工业园区

Add: NO 20 JUXIAN ROAD ,SHANGXI TOWN ,YI WU CITY ,ZHEJIANG PROVINCE, CHINA

TEST ITEMS	SPECIFICATIONS	TEST RESULTS	REMARKS
4. HEAVY METAL TEST			
Test Requested: Content of lead(Pb), arsenic(As), mercury(Hg) Unit:ppm(mg/kg)			
Content of lead	3	PASS	---
Content of arsenic	< 0.34	PASS	---
Content of mercury	< 0.05	PASS	---
Content of dioxane	< 2	PASS	---
Content of cadmium	< 0.1	PASS	---
5. Crystal microscope analysis and Tenuity			
Tenuity	Compare to standard product	PASS	---
Crystal microscope analysis	Not Present	PASS	---

We hereby certify that above results are correct and true .



Reviewed / Approved by : Jason Liu

Date: 2018.05.07