

CERTIFICATE OF ANALYSIS

| | | | |
|------------------------|--|--|---------------|
| Elaboration | MIA TOA.DESMAQ. NORMAL | Item NO | T |
| Manufacturer | YANGYI | Batch NO | L-CT20A02 |
| Manufacturing Date | 2020.01.02 | Expiry date | 2022.01.02 |
| Test Date | 2020.01.02 | | |
| Test Item(Phyiscal) | Material Gram Weight, Composition | | |
| Test Result | | | |
| Gram Weight | 50gsm±2g | COMPOSITION | |
| | | Aqua, Cetearyl Isononanoate, Glycerin, Phenoxyethanol, Disodium Cocoamphodiacetate, Ceteareth-20, Cetearyl Alcohol, Sodium Benzoate, Glyceryl Stearate, Potassium Sorbate, Hamamelis Virginiana (Witch Hazel) Bark/Leaf/Twig Extract, Cetyl Palmitate, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Aloe Barbadensis Leaf Extract, TOCOPHERYL ACETATE, Ceteareth-12, Citric Acid, Ethylhexylglycerin, Disodium EDTA, Parfum | |
| Test Item(Chemical) | PH: 5.5 | SIZE | 15*20cm±0.5cm |
| Test Standard | GB15979-2002 | | |
| | | | |
| Test Items(Biological) | Number of bacterial colonies, Coli group, P. Aeruginosa, S. Aureus, Streptococcus Hemolyticus, Number of fungal colonies | | |
| Testing Result | | | |
| NO | Item | Unit | Result |
| 1 | Coli Group | | Negative |
| 2 | S. Aureus | | Negative |
| 3 | P. Aeruginosa | | Negative |
| 4 | Streptococcus Hemolyticus | | Negative |
| 5 | Number of bacterial colonies | cfg/u | <1 |
| 6 | Number of fungal colonies | cfg/u | <1 |

★The products have passed the analysis